

ICONIK

VINYL ROLLS

Your home,
Your way



FIBRA 4 - MIST



LOGIS - BLACK & WHITE



CABANA - GREY



ALMERIA - NATURAL



TENDENZA - COOL GREY

ICONIK VINYL ROLLS YOUR HOME, YOUR WAY

Household behaviors have significantly changed. Today, more than ever, people are focused on the quality of their interior since they tend to work from and spend more time at home.

People want to feel relaxed and comfortable in their home and able to change their décor as they wish. Why not turn a nursery into a home office and then back into a nursery again!

But also, they want to live comfortably in their homes, knowing that their flooring can resist daily life – shoe marks, house parties, children, etc. They need a place where each family member can feel at ease in their own personal space.

This is why, vinyl rolls are the best choice for easily renovating your interior in order to match your life projects.



SKANE HERRINGBONE - BLONDE



COTTAGE STONE - BEIGE GREY / RUSTIC OAK - LIGHT BEIGE



BROKEN SLATE - MEDIUM BEIGE



ESTATE OAK - SPELT



POWELL OAK - BRONZE

BUILDING NEW GROUND

The pursuit of 'always more' is threatening our planet. The game must change. We need to find a way to deliver more with less.

As part of our Tarkett Human-Conscious Design® initiative, we aim to create a sustainability legacy, where we create a better world for present and future generations.

This is why we offer a complete choice of stylish, comfortable, and long lasting solutions that contribute to a healthier indoor air quality and are good for the planet.

We design, produce and sell our flooring solutions, while fully committed to tangible reduction and maintaining product performance.




WESTWING OAK - NATURAL

Together with our employees and partners, we are able to achieve a whole lot more, with less. This has been our commitment, mission and mindset for over 100 years. At Tarkett, we have constantly pioneered sustainable change and this includes our new ICONIK collection.

LOWER EMISSIONS

We reduce greenhouse gas emissions throughout our value chain. In 2022, we switched to 100% green energy in both our facilities in Luxembourg and Germany, where we produce the ICONIK collection.



*According to EPD registration number S-P-01997 from the International EPD system

LESS WASTE

We transform vinyl floorings through our ReStart® take-back and recycling program.

Contact your local Tarkett sales offices to find out how to register for ReStart® in your country.



*Depending on your installation method and backing

MORE PROOF

We commit to only using good materials in total transparency throughout production. (Details are listed in our MHS).



97%
MATERIALS ASSESSED

MHS (Material Health Statement): Telling you every last detail about our materials and their impact on health

EPD (Environmental Product Declaration): Telling you every last detail about our products and their impact on the environment

GREATER WELL-BEING

Lowering our environmental footprint will never mean compromising on comfort, health or overall well-being.



≤ 100 µg/m³
OPTIMAL INDOOR
AIR QUALITY

LOW FORMALDEHYDE EMISSIONS

PHTHALATE FREE



The way to better floors.

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

RECONNECTING WITH NATURE AND AUTHENTICITY

Lately, people are craving change. They are looking for authenticity and would like to spend more time in nature. They need to be calmed and soothed after challenging times, like the pandemic. This is why Tarkett chose nature as a key theme for the new and wide-ranging ICONIK collection.

This new collection is inspired by biophilic design. It offers a sleek and authentic style, where infinite décor options are available to anyone seeking a more green and natural interior. Plus, our ICONIK vinyl rolls perfectly match the back-to-craft home trends, that portray simplicity and sensitivity.



MANY DESIGN CHOICES
The latest interior design trends that correspond to all your décors.

NATURAL DÉCOR
A wide range of authentic designs and textures, inspired by wood and nature.

EXTRA MATT FINISH
A remarkable, realistic and sleek rendering that reinforces the authentic beauty of any room.




ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK VINYL ROLLS FOR ALL USES

ICONIK vinyl flooring is the ideal, goes-with-everything solution for a quick renovation. It offers three backing finishes that provide different performance standards, based on your needs. Furthermore, the Iconik vinyl rolls are made up of **up to 27% recycled materials**.

ICONIK FOAM

These foam backing rolls are **100% recyclable** with a loose-lay installation.



ICONIK TEX

Ideal for renovation, the textile backing smoothes out irregularities. PET fibers used in textile backing are made of **100% of recycled fibers** (oceans, production scraps, recycling trashes...).




- + Covers irregularities without patching
- + Loose-lay installation
- + Reduces sound from 16 to 20 dB
- + Increases walking comfort



CALENDERED FOAM BACKING


A semi-commercial product, resistant to indentation and tearing.



- + Resistant to indentation in heavy use areas
- + Adapted to daily demands, from home to semi-commercial activities

Foam

Iconik 150
Iconik 260
Iconik 300
Iconik 400




What's new in 2023?

Our honeycomb foam offers better stability and an easy loose-lay installation for imperfect subfloors. It is the best option when looking for a thin, affordable and resistant product that is good for the environment.


Honey comb

Iconik 240




Textile

Iconik 260Tex
Iconik 220Tex
Iconik 280Tex



Calendered

Iconik 450
Classic 40



TARKETT RECOMMENDS LOOSE-LAY INSTALLATION FOR ALL ICONIK ROLLS UP TO 50 m²



Gain time and easily change your interior

A knife and double-sided adhesive tape is all you need. Even with no previous experience, laying our vinyl rolls is something you can do yourself. To make it even easier, please refer to our step-by-step installation guide available with all ICONIK documents on your local Tarkett website.

It is quick to install on a new subfloor, as long as it is clean and flat. Installation over existing floorings is possible, except on foam backing flooring or carpets.



Our ICONIK foam backing does not require any glue on surface areas of **50 m² or less**. Therefore, it can be collected by installers and recycled through our ReStart[®] Ready program*.

*Terms of registration may vary per country. Contact your local Tarkett sales offices to find out how to register for ReStart[®] in your country.



For a surface area of 50m² or more, a glue-down installation is required. You can use Tarkospray for the foam backing flooring and standard glue for the textile backing

USE A SIMPLE MOP TO CLEAN YOUR FLOOR

Thanks to the special PUR surface treatment, the ICONIK flooring collection is highly resistant to the accidents of everyday life. Follow this gentle cleaning routine to keep your floors more hygienic and looking as good as new.



Daily: wipe or vacuum



Once a week (or more often): wipe the floor with a damp mop or a dampened cloth with warm water and a neutral detergent



Whenever necessary: remove dust with a broom or vacuum cleaner to avoid dust and dirt build-up



When installed without seams, it limits a build-up of dirt, making our vinyl rolls easy-to-clean and maintain. Make a healthier choice that is good for the planet.




ICONIK VINYL ROLLS COLLECTION

BENEFITS COLLECTIONS	 CLASS OF USE	 THICKNESS (mm)	 WEAR LAYER (mm)	 ACOUSTIC (dB)	 INDENTATION (mm)	 DIMENSIONAL STABILITY (%)	 BACKING	 GUARANTEE
ICONIK 150	21	1.5	0.15	12	≤ 0.25	≤ 0.15	Foam	5
ICONIK 260	22 / 22+	2.6	0.22	20	≤ 0.35	≤ 0.15	Foam	10
ICONIK 260Tex	22 / 22+	2.6	0.20	18	≤ 0.35	≤ 0.15	Textile	10
ICONIK 220Tex	23 / 31	2.2	0.25	16	≤ 0.30	≤ 0.15	Textile	10
ICONIK 300	23 / 31	3.0	0.25	20	≤ 0.25	≤ 0.15	Foam	10
ICONIK 400	23 / 31	4.0	0.25	21	≤ 0.35	≤ 0.15	Foam	10
ICONIK 450	23 / 31	4.5	0.30	20	≤ 0.35	0.2	Foam	15
ICONIK 240	23 / 32 / 41	2.4	0.35	16	≤ 0.20	≤ 0.15	Foam with honey comb	15
ICONIK 280Tex	23 / 32 / 41	2.8	0.35	19	≤ 0.20	≤ 0.15	Textile	15
CLASSIC 40	23 / 32 / 41	2.0	0.40	13	≤ 0.10	0.15	Calendered foam	15

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK VINYL ROLLS COLLECTION



UNDERFLOOR SYSTEM

All ICONIK vinyl rolls are compatible with underfloor heating and cooling systems, providing thermal comfort.



DIMENSIONAL STABILITY


All ICONIK Vinyl rolls barely move once they are installed. Plus, there is no ripple or swell effects, up to 27°C.

ICONIK 150
 ICONIK 220Tex
 ICONIK 240
 ICONIK 260
 ICONIK 260Tex
 ICONIK 280Tex
 ICONIK 300
 ICONIK 400
 ICONIK 450
 CLASSIC 40

CHOOSE YOUR DESIGN

SMOOTH WOOD EFFECT

AMBOISE 6 x 18 cm 100 x 100 cm




ANCARES OAK PLANK 16,66 x 100 cm 100 x 100 cm



APUNARA OAK 16,5 x 100 cm 100 x 100 cm



ARCADIA 16,6 x 100 cm 100 x 100 cm




ANTIK OAK 10 x 100 cm 100 x 100 cm



SMOOTH WOOD EFFECT


BEECH 11,1 x 100 cm 100 x 100 cm



BISCAY 2 9,1 x 100 cm 100 x 100 cm



BOATDECK 8,3 x 100 cm 100 x 100 cm



CHARM OAK 20 x 100 cm 100 x 100 cm



CHENE 10 x 100 cm 100 x 100 cm



CITIZEN OAK 16,66 x 133 cm 100 x 100 cm



CLASSICAL OAK multi-lengths x 6,6 cm 100 x 100 cm



DERBY 10 x 100 cm 100 x 100 cm



SMOOTH WOOD EFFECT

ESTATE OAK 16,66 x 100 cm 200 x 100 cm




FLANDERS 20 x 100 cm 100 x 100 cm



FOREST 20 x 145 cm 100 x 100 cm



FRENCH OAK 10 x 100 cm 100 x 100 cm



SMOOTH WOOD EFFECT


FIBER WOOD Allover 100 x 100 cm



GEA 11,1 x 100 cm 100 x 100 cm



HARMONY OAK 16,6 x 100 cm 100 x 100 cm



HAZELNUT 12,5 x 100 cm 100 x 100 cm



IDIA multi-lengths x 7,1 cm 100 x 100 cm




INFINITY OAK infinit x 25 cm 100 x 100 cm



CHOOSE YOUR DESIGN

SMOOTH WOOD EFFECT

KENT  14 x 100 cm  100 x 100 cm



LEGACY OAK  20 x 133 cm  100 x 133 cm



MAPLE  20 x 100 cm  100 x 100 cm



MILL OAK  20 x 150 cm  100 x 150 cm



NATURE OAK  16,66 x 100 cm  100 x 100 cm



SMOOTH WOOD EFFECT

NOCE CLASSICO  25 x 133 cm  100 x 133 cm



OAK  16,6 x 100 cm  100 x 100 cm



PATRIMOINE  7,3 x 33,7 cm  100 x 100 cm



PEAR  10 x 60 cm  100 x 150 cm



ROBUR  7,8 x 100 cm  100 x 150 cm



RUSTIC OAK  10 x 100 cm  100 x 100 cm



SLOW OAK  12,5 x 100 cm  100 x 100 cm



SMOOTH WOOD EFFECT

SOFT ELM  14,25 x 100 cm  100 x 100 cm



TREND OAK  7 x 28/72 cm  100 x 150 cm



VACANO  10 x 100 cm  100 x 100 cm



VINTAGE OAK  20 x 133 cm  100 x 133 cm



VINTAGE PINE  10,3/17 x 100 cm  100 x 133 cm



WESTWING OAK  10 x 100 cm  100 x 100 cm



WINTER PINE  20 x 100 cm  100 x 100 cm



SMOOTH WOOD EFFECT

WOOLLAND OAK  16,7 x 100 cm  100 x 100 cm



KNOTTED WOOD EFFECT

ADMIRAL  20 x 150 cm  100 x 150 cm



AUSTRIA OAK  20 x 150 cm  100 x 150 cm



AUTHENTIC  16,6 x 100 cm  100 x 100 cm



CASTEL  multi-lengths x 7 cm cm  100 x 100 cm



ERABLE  10 x 100 cm  100 x 100 cm



CHOOSE YOUR DESIGN

KNOTTED WOOD EFFECT

FUMED OAK 20 x 150 cm 100 x 150 cm



GORDON 10 x 100 cm 100 x 100 cm




JURA multi 100 x 100 cm



OLD MELEZE 20 x 100 cm 100 x 100 cm



POWELL OAK 20 x 150 cm 150 x 200 cm



KNOTTED WOOD EFFECT

PRESTIGE OAK 25 x 150 cm 100 x 150 cm




SHERWOOD 12,5 x 100 cm 100 x 100 cm



SWAN 16,5 x 100 cm 100 x 100 cm



TYROL PINE 20 x 150 cm 150 x 200 cm




HERRINGBONE & CHEVRON PATTERNS


ANCARES HERRINGBONE 8,8 x 35,5 cm 100 x 100 cm




CHEVRON STYLE Chevron 100 x 200 cm



SKANE HERINGBONE 11,75 x 47,25 cm 100 x 200 cm



VALLEY 7,5 x 35,5 cm 100 x 100 cm



BRUSHED / CERUSED WOOD EFFECT

BISCAY II 9,1 x 100 cm 100 x 100 cm



BRUXELLES 12,5 x 100 cm 100 x 100 cm



CHILIA multi-lengths x 6,6 cm 100 x 100 cm



FARO 11,8/13,3 x 100 cm 100 x 100 cm



MELEZE 12,5 x 100 cm 100 x 100 cm



OAK 16,6 x 100 cm 100 x 100 cm



PAINTED WOOD 12,5 x 100 cm 100 x 100 cm



PATCHED WOOD 20 x 100 cm 100 x 100 cm



SERRANT 7,2 x 40 cm 100 x 100 cm



SLIM Allover 100 x 100 cm



ICONIK 150
 ICONIK 220Tex
 ICONIK 240
 ICONIK 260
 ICONIK 260Tex
 ICONIK 280Tex
 ICONIK 300
 ICONIK 400
 ICONIK 450
 CLASSIC 40

CHOOSE YOUR DESIGN

BRUSHED / CERUSED WOOD EFFECT

TREND PINE  Various  100 x 100 cm



MULTICOLOR
Iconik 260



BLUE-GREEN
NEW Iconik 260

CERAMIC EFFECT

ALMERIA  20 x 20 cm  100 x 100 cm



FAWN
Iconik 280Tex - Iconik 400



NATURAL
Iconik 240



RED
Iconik 240



BLACK
NEW Iconik 280Tex - Iconik 240 - Iconik 400



SMOKE
Iconik 280Tex

CABANA  12,5 x 12,5 cm  100 x 100 cm



GREY
Iconik 260

HENNA  14,2 x 16,5 cm  100 x 100 cm



WHITE
Iconik 400




LIGHT GREY
Iconik 400

ROXFORD  mix  100 x 100 cm



FRENCH GREY
NEW Iconik 280Tex

ZARAGOZA TILE  17,5 x 17,5 cm / 45°  100 x 100 cm



POWDER
Iconik 260



CEMENT
Iconik 240



INDIGO
Iconik 220Tex - Iconik 260 - Iconik 450



STONE
Iconik 450

GRAPHIC

ALBI  16,6 x 16,6 cm  100 x 100 cm



BLACK AND WHITE
Iconik 240

ECHIQUIER 2  25 x 25 cm  100 x 100 cm



BLACK WHITE
Iconik 260

LOGIS  25 x 25 cm  200 x 100 cm



BLACK & WHITE
NEW Iconik 240

MACADAM  100 x 100 cm



GREEN
Iconik 300

METALLICA  100 x 100 cm



GREY
Iconik 260

PLAYFUL  100 x 100 cm



MULTICOLOR
Iconik 300

STONE EFFECT

AGREGO  100 x 100 cm



WHITE
Iconik 450



GREGE
Iconik 450

ARDINA  100 x 100 cm



LIGHT GREY
Iconik 150



GREY
Iconik 260Tex

BROKEN SLATE  Various  100 x 100 cm



MEDIUM BEIGE
Iconik 240



ANTHRACITE
Iconik 280Tex

CATERA  100 x 100 cm



GREGE
Iconik 280Tex



MIDDLE GREY
Iconik 280Tex

STONE EFFECT

CONTEMPORARY STONE  33 x 20 cm  100 x 100 cm



BEIGE
Iconik 280Tex

COTTAGE STONE  17,5 x 17,5 cm  100 x 100 cm



BEIGE GREY
Iconik 260



BEIGE
Iconik 280Tex



BLACK
Iconik 280Tex

COSMO  33,33 x 33,33 cm  100 x 100 cm




STEEL
Iconik 240



CEMENT
Iconik 260

FIBRA 4  100 x 100 cm




MIST
NEW Iconik 260



GRAVEL
NEW Iconik 260 - **NEW** Iconik 260Tex



PEPPLE
NEW Iconik 260



TARMAC
NEW Iconik 260

GRANITE  25 x 25 cm  100 x 100 cm



ALU BLACK
Iconik 260



GREGE
Iconik 260 - Iconik 450



CARBON
Iconik 450

GRES  33 x 33 cm  100 x 100 cm



MIDDLE GREY
Iconik 280Tex

STONE EFFECT

HALLSTONE  50 x 50 cm  200 x 150 cm



SAND
NEW Iconik 240



DESERT
NEW Iconik 240



ASHEN
NEW Iconik 240



SMOKE
NEW Iconik 240



COLD GREY
NEW Iconik 240



PEBBLE
NEW Iconik 240

IBIZA  20 x 20 cm  100 x 100 cm



GRAPHITE
Iconik 260

IRON TILE  33 x 25 cm  100 x 100 cm



LIGHT GREY
Iconik 400



GREY
Iconik 400

KAOLIN  25 x 33 cm  100 x 100 cm



DARK GREGE
Iconik 450



LIGHT GREY
Iconik 450

MADRAS  100 x 100 cm



GREY
Iconik 300

MARBLE BIANCO HEXAGON  14,2 x 16,5 cm  100 x 100 cm



GOLD
Iconik 260



GREY
Iconik 240

CHOOSE YOUR DESIGN

STONE EFFECT

MARQUINE TILE  25 x 33,33 cm  100 x 100 cm



MAYA  100 x 100 cm



MELBOURNE  25 x 50 cm  100 x 100 cm



METROPOLITAN  100 x 100 cm



MODERN SILVER  Allover



STONE EFFECT


MODA  Allover



MODERN SLATE  33 x 50 cm  100 x 100 cm



NERO MARQUINE  Allover



NERO MARQUINE HEXAGON  16,5 x 14,2 cm  100 x 100 cm



PIETRA SACRA  33,33 x 50 cm  100 x 100 cm



PINTO  Allover



STONE EFFECT

PROVENZA  25 x 50 cm  100 x 100 cm



ROCK  Allover



RUSTIC SLATE  various  100 x 100 cm




SELENE  25 x 25 cm  100 x 100 cm



TENDENZA  Allover



ZENON  Allover



CONCRETE EFFECT

KIRUMA  Allover



METON  25 x 33,33 cm  100 x 100 cm



POLISHED CONCRETE  Allover



STROMBOLI  Allover



STYLISH CONCRETE  Allover





ALLOVER

DJ  Allover



ICONIK 150 ADMIRAL



		2, 3, 4 m
		20 x 150 cm
		150 x 100 cm
		1,5 mm

EXTREME PROTECTION

5 years GUARANTEE RESIDENTIAL USE

ICONIK 150 AUTHENTIC



		2, 3, 4 m
		16,6 x 100 cm
		100 x 100 cm
		1,5 mm

EXTREME PROTECTION

5 years GUARANTEE RESIDENTIAL USE

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 150 BISCAY II



BISCAY II
ALU BROWN



ALU BROWN



		2, 3, 4 m
		9,1 x 100 cm
		100 x 100 cm
		1,5 mm

EXTREME PROTECTION **5 years GUARANTEE RESIDENTIAL USE**


ICONIK 150 CHENE



CHENE
NATURAL



NATURAL



		2, 3, 4 m
		10 x 100 cm
		100 x 100 cm
		1,5 mm

EXTREME PROTECTION **5 years GUARANTEE RESIDENTIAL USE**

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 150 FRENCH OAK



FRENCH OAK
GREY BEIGE



GREY BEIGE



FRENCH OAK
GREY BEIGE

2m - 5087078
3m - 5056102
4m - 5145117

Scale 1:6

		2, 3, 4 m
		10 x 100 cm
		100 x 100 cm
		1,5 mm

ICONIK 150 HAZELNUT




HAZELNUT
NATURAL



HAZELNUT
NATURAL

2m - 6519088
3m - 6543088
4m - 6595088



HAZELNUT
BROWN

2m - 6519089
3m - 6543089
4m - 6595089

Scale 1:6

		2, 3, 4 m
		12,5 x 100 cm
		100 x 100 cm
		1,5 mm

ICONIK 150 JURA



JURA
BROWN




BROWN



JURA
BROWN

2m - 5337046
3m - 5263064
4m - 5206078

Scale 1:6



2, 3, 4 m



12,2 x 100 / 12,5 x 100 /
14,2 x 100 / 14,5 x 100 /
16,5 x 100 / 17,7 x 100



100 x 100 cm



1,5 mm



EXTREME
PROTECTION



5
years
GUARANTEE
RESIDENTIAL
USE

ICONIK 150 PATRIMOINE



PATRIMOINE
DARK




DARK



PATRIMOINE
DARK

2m - 5337008
3m - 5263010
4m - 5206008

Scale 1:6



2, 3, 4 m



7,3 x 33,7 cm



100 x 100 cm



1,5 mm



EXTREME
PROTECTION




5
years
GUARANTEE
RESIDENTIAL
USE

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 150

PEAR



PEAR
YELLOW RED




PEAR
YELLOW RED

2m - 5337045
3m - 5263059
4m - 5206080

Scale 1:2

Scale 1:6




PEAR
RED BROWN

2m - 5337049
3m - 5263060
4m - 5206059


Scale 1:2

Scale 1:6



ICONIK 150

SERRANT



SERRANT
BLANC



BLANC




SERRANT
BLANC

2m - 5337218
3m - 5263218
4m - 5206218

NEW

Scale 1:2

Scale 1:6



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40


ICONIK 150 SHERWOOD



MOYEN



JARRAH



		2, 3, 4 m
		12,5 x 100 cm
		100 x 100 cm
		1,5 mm



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 150

SWAN



SWAN
DARK BEIGE




PEARL GREY



SOFT GREY



DARK BEIGE



2, 3, 4 m

16,5 x 100 cm



100 x 100 cm

1,5 mm



EXTREME
PROTECTION



RESIDENTIAL
USE



5
years
GUARANTEE
RESIDENTIAL
USE



SWAN
PEARL GREY

2m - 5337190
3m - 5263190
4m - 5206190

Scale 1:2

Scale 1:6




SWAN
SOFT GREY

2m - 5337192
3m - 5263192
4m - 5206192

Scale 1:2

Scale 1:6



SWAN
DARK BEIGE

2m - 5087137
3m - 5056137
4m - 5145137

Scale 1:2

Scale 1:6

ICONIK 150 MELBOURNE




MELBOURNE
NOIR




GRIS



LIGHT BROWN



NOIR



2, 3, 4 m



25 x 50 cm



100 x 100 cm



1,5 mm



MELBOURNE NOIR

2m - 6519080


3m - 6543080

4m - 6595080



Scale 1:6

Scale 1:2



**MELBOURNE
GRIS**

2m - 6519078
3m - 6543078
4m - 6595078

Scale 1:2

Scale 1:6

**MELBOURNE
LIGHT BROWN**

2m - 6519083
3m - 6543083
4m - 6595083

Scale 1:2

Scale 1:6

**ICONIK 150
MODERN SLATE**



MODERN SLATE
GREY BEIGE



GREY BEIGE

**MODERN SLATE
GREY BEIGE**


2m - 5087082
3m - 5056105
4m - 5145120

Scale 1:2

Scale 1:6



MELBOURNE
GRIS



2, 3, 4 m



33 x 50 cm



100 x 100 cm




1,5 mm



ICONIK 150 ARDINA



ARDINA
LIGHT GREY



LIGHT GREY




ARDINA
LIGHT GREY

2m - 5337120
3m - 5263112
4m - 5206157

Scale 1:2

Scale 1:6



2, 3, 4 m



Allover



100 x 100 cm



1,5 mm



EXTREME
PROTECTION



5
years
GUARANTEE
RESIDENTIAL
USE


ICONIK 150 PINTO



PINTO
LIGHT GREY



LIGHT GREY




PINTO
LIGHT GREY

2m - 5337076
3m - 5263107
4m - 5206116

Scale 1:2

Scale 1:6



2, 3, 4 m



Allover



100 x 100 cm



1,5 mm



EXTREME
PROTECTION



5
years
GUARANTEE
RESIDENTIAL
USE

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 150

STROMBOLI



STROMBOLI
GRIS FONCE



GRIS CLAIR




GRIS FONCE

STROMBOLI GRIS CLAIR

2m - 6519090
3m - 6543090
4m - 6595090

Scale 1:2

Scale 1:6



2, 3, 4 m



All over



100 x 100 cm



1,5 mm



STROMBOLI GRIS FONCE

2m - 6519091
3m - 6543091
4m - 6595091

Scale 1:2

Scale 1:6

ICONIK 220Tex FRENCH OAK



FRENCH OAK
LIGHT NATURAL



LIGHT NATURAL



2, 3, 4 m



10 x 100 cm



100 x 100 cm



2,2 mm



FRENCH OAK LIGHT NATURAL

2m - 5661011

3m - 5660011

4m - 5659011



Scale 1:6

Scale 1:2

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 220Tex DERBY



DERBY
WHITE




DERBY WHITE

2m - 5661032
3m - 5660032
4m - 5659032

Scale 1:2

Scale 1:6




DERBY LIGHT GREY

2m - 5661030
3m - 5660030
4m - 5659030



Scale 1:2

Scale 1:6



ICONIK 220Tex SWAN



SWAN
MEDIUM GREY



SWAN MEDIUM GREY

2m - 5661029
3m - 5660029
4m - 5659029

Scale 1:2

Scale 1:6

SWAN MEDIUM GREGE

2m - 5661028
3m - 5660028
4m - 5659028



Scale 1:2

Scale 1:6


ICONIK 220Tex VINTAGE OAK



- 2, 3, 4 m
- 20 x 133 cm
- 133 x 100 cm
- 2,2 mm

EXTREME PROTECTION **10 years GUARANTEE RESIDENTIAL USE**

ICONIK 220Tex ZARAGOZA TILE



- 2, 3, 4 m
- 17,5 x 17,5 cm / 45°
- 100 x 100 cm
- 2,2 mm

EXTREME PROTECTION **10 years GUARANTEE RESIDENTIAL USE**

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 240

ANCARES HERRINGBONE



ANCARES HERRINGBONE
GREGE



BEIGE*



BROWN




GREGE



GREY*



LIMED*



2, 3, 4 m



5,5 x 8,8 cm



100 x 100 cm



2,4 mm



*Common design 280Tex – 240

ANCARES HERRINGBONE GREGE

2m - 5829228

3m - 5828228

4m - 5827228



Scale 1:6



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

**ANCARES HERRINGBONE
BEIGE**

2m - 5829223
3m - 5828223
4m - 5827223

Scale 1:2

Scale 1:6

**ANCARES HERRINGBONE
BROWN**

2m - 5829224
3m - 5828224
4m - 5827224

Scale 1:2

Scale 1:6

**ANCARES HERRINGBONE
LIMED**

2m - 5829222
3m - 5828222
4m - 5827222

Scale 1:2

Scale 1:6

**ANCARES HERRINGBONE
GREY**

2m - 5829227
3m - 5828227
4m - 5827227

Scale 1:2

Scale 1:6

ICONIK
150

ICONIK
220Tex

ICONIK
240

ICONIK
260

ICONIK
260Tex

ICONIK
280Tex

ICONIK
300

ICONIK
400

ICONIK
450

CLASSIC
40

ICONIK 240

ANCARES OAK PLANK



ANCARES OAK PLANK
GREGE



BEIGE*




GREGE



BROWN*



GREY*



2, 3, 4 m



16,66 x 100 cm



100 x 100 cm



2,4 mm



*Common design 280Tex – 240

ANCARES OAK PLANK GREGE

2m - 5829229
3m - 5828229
4m - 5827229



Scale 1:6

Scale 1:2

**ANCARES OAK PLANK
BEIGE**

2m - 5829230
3m - 5828230
4m - 5827230

Scale 1:2

Scale 1:6

**ANCARES OAK PLANK
BROWN**

2m - 5829243
3m - 5828243
4m - 5827243

Scale 1:2

Scale 1:6

**ANCARES OAK PLANK
GREY**

2m - 5829244
3m - 5828244
4m - 5827244

Scale 1:2

Scale 1:6

ICONIK 240 CHARM OAK



CHARM OAK
LIGHT GREY




MIDDLE BEIGE



NATURAL



LIGHT GREY



2, 3, 4 m



20 x 100 cm



100 x 100 cm



2,4 mm



CHARM OAK MIDDLE BEIGE

2m - 5571103
3m - 5570102
4m - 5569116



CHARM OAK NATURAL

2m - 5571107
3m - 5570106
4m - 5569120



CHARM OAK LIGHT GREY

2m - 5571145
3m - 5570145
4m - 5569145



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 240

CITIZEN OAK



CITIZEN OAK
MEDIUM GREY




NATURAL



MEDIUM GREY



DARK GREY



2, 3, 4 m



16,66 x 133 cm



100 x 100 cm



2,4 mm



CITIZEN OAK MEDIUM GREY

2m - 5829240

3m - 5828240

4m - 5827240



Scale 1:6

Scale 1:2

**CITIZEN OAK
NATURAL**

2m - 5829217
3m - 5828217
4m - 5827217

Scale 1:2

Scale 1:6

**CITIZEN OAK
DARK GREY**

2m - 5829241
3m - 5828241
4m - 5827241

Scale 1:2

Scale 1:6

ICONIK 240 CLASSICAL OAK




NATURAL

**CLASSICAL OAK
NATURAL**

2m - 5829008
3m - 5828008
4m - 5827008

Scale 1:2

Scale 1:6



2, 3, 4 m



6,6 cm x
Multi-lengths



100 x 100 cm



2,4 mm



**EXTREME
PROTECTION**



**15 years
GUARANTEE
RESIDENTIAL
USE**

ICONIK 240 FRENCH OAK



FRENCH OAK
DARK GREY



LIGHT GREY



GREGE



MEDIUM BEIGE



DARK GREY




ANTHRACITE



SNOW



WHITE



2, 3, 4 m



10 x 100 cm



100 x 100 cm



2,4 mm



FRENCH OAK DARK GREY

2m - 5571143

3m - 5570143

4m - 5569143



Scale 1:6

Scale 1:2

**FRENCH OAK
SNOW**

2m - 5571144
3m - 5570144
4m - 5569144

Scale 1:2

Scale 1:6

**FRENCH OAK
WHITE**

2m - 5829026
3m - 5828026
4m - 5827026

Scale 1:2

Scale 1:6

**FRENCH OAK
MEDIUM BEIGE**

2m - 5829006
3m - 5828006
4m - 5827006

Scale 1:2

Scale 1:6

**FRENCH OAK
LIGHT GREY**

2m - 5571102
3m - 5570101
4m - 5569115

Scale 1:2

Scale 1:6

**FRENCH OAK
GREGE**

2m - 5829082
3m - 5828082
4m - 5827082

Scale 1:2

Scale 1:6

**FRENCH OAK
ANTHRACITE**

2m - 5829081
3m - 5828081
4m - 5827081

Scale 1:2

Scale 1:6

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 240 FLANDERS



FLANDERS
DARK BROWN



DARK BROWN

		2, 3, 4 m
		20 x 100 cm
		100 x 100 cm
		2,4 mm
		EXTREME PROTECTION

FLANDERS DARK BROWN

2m - 5829001
3m - 5828001
4m - 5827001



Scale 1:6

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 240 LEGACY OAK



LIGHT GREY



BEIGE




LIGHT NATURAL



NATURAL



GREY



2, 3, 4 m



20 x 133 cm



133 x 100 cm



2,4 mm



EXTREME
PROTECTION



15
years
GUARANTEE
RESIDENTIAL
USE

LEGACY OAK BEIGE

2m - 5829064

3m - 5828064

4m - 5827064



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

**LEGACY OAK
LIGHT GREY**

2m - 5829067
3m - 5828067
4m - 5827067

Scale 1:2

Scale 1:6

**LEGACY OAK
LIGHT NATURAL**

2m - 5829062
3m - 5828062
4m - 5827062

Scale 1:2

Scale 1:6

**LEGACY OAK
NATURAL**

2m - 5829063
3m - 5828063
4m - 5827063

Scale 1:2

Scale 1:6

**LEGACY OAK
GREY**

2m - 5829066
3m - 5828066
4m - 5827066

Scale 1:2

Scale 1:6

ICONIK 240 MAPLE




BEIGE

MAPLE BEIGE

2m - 5571013
3m - 5570013
4m - 5569002

Scale 1:2

Scale 1:6



2, 3, 4 m



20 x 120 cm



100 x 100 cm



2,4 mm



**EXTREME
PROTECTION**



**15 years
GUARANTEE
RESIDENTIAL
USE**

ICONIK 240

MILL OAK



MILL OAK
LIGHT GREY



LIGHT GREY



LIMED



LIGHT BROWN



HONEY




GREGE



GREY



BROWN



2, 3, 4 m



20 x 150 cm



150 x 100 cm



2,4 mm



MILL OAK LIGHT GREY

2m - 5829213

3m - 5828213

4m - 5827213

Scale 1:6

Scale 1:2



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40


ICONIK 240 MELEZE



MELEZE
METAL



METAL



2, 3, 4 m

12,5 x 100 cm



100 x 100 cm



2,4 mm



EXTREME PROTECTION
15 years
GUARANTEE
RESIDENTIAL
USE

NEW

ICONIK 240 POWELL OAK

Big, beautiful and classic, the sweeping cathedrals and well distributed knots of this flooring create the perfect picture of nature.




POWELL OAK
BRONZE



BRONZE*



GREY



2, 3, 4 m

20 x 150 cm



200 x 150 cm



2,4 mm



EXTREME PROTECTION
15 years
GUARANTEE
RESIDENTIAL
USE

*Common design 280Tex - 240

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

**POWELL OAK
BRONZE**

2m - 240019019
3m - 240014019
4m - 240009019

NEW

Scale 1:2

Scale 1:6

**POWELL OAK
BLONDE**

2m - 240019018
3m - 240014018
4m - 240009018

NEW

Scale 1:2

Scale 1:6

**POWELL OAK
GREY**

2m - 240019307
3m - 240014307
4m - 240009307

NEW

Scale 1:2

Scale 1:6



**POWELL OAK
BLONDE**

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

NEW

ICONIK 240 TYROL PINE

Inspired by a mountain cabin, this authentic pine flooring is a safe and cozy choice for warm and welcoming interiors.



TYROL PINE
WHITE



WHITE



WINTER PINE
GREGE




GREGE



TYROL PINE
WHITE

2m - 240019029
3m - 240014029
4m - 240009029

Scale 1:2



2, 3, 4 m



20 x 150 cm



200 x 150 cm



2,4 mm




15 years
GUARANTEE
RESIDENTIAL
USE



WINTER PINE
GREGE

2m - 5829057
3m - 5828057
4m - 5827057

Scale 1:2



2, 3, 4 m



20 x 100 cm



100 x 100 cm



2,4 mm



15 years
GUARANTEE
RESIDENTIAL
USE

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 240 WOOLLAND OAK



WOOLLAND OAK
WHITE



		2, 3, 4 m
		16,7 x 100 cm
		100 x 100 cm
		2,4 mm

ICONIK 240 ALBI



ALBI
BLACK AND WHITE



		2, 3, 4 m
		16,6 x 16,6 cm
		100 x 100 cm
		2,4 mm

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 240

ALMERIA



ALMERIA
NATURAL

		2, 3, 4 m
		20 x 20 cm
		100 x 100 cm
		2,4 mm
		EXTREME PROTECTION
		15 years GUARANTEE RESIDENTIAL USE

*Common design 280Tex – 240



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40



ICONIK 240 COSMO



		2, 3, 4 m
		33,33 x 33,33 cm
		100 x 100 cm
		2,4 mm

**EXTREME
PROTECTION**

**15 years
GUARANTEE
RESIDENTIAL
USE**

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

NEW

ICONIK 240 HALLSTONE

Bigger is better! This new classic 50x50 tile flooring comes in soft beige tones and contemporary grays.



HALLSTONE
DESERT



SAND*



DESERT*



ASHEN*




SMOKE



COLD GREY



PEBBLE



2, 3, 4 m



50 x 50 cm



200 x 150 cm



2,4 mm



*Common design 280Tex – 240

HALLSTONE DESERT

2m - 240019008
3m - 240014008
4m - 240009008



Scale 1:6

Scale 1:2

NEW

ICONIK
150

ICONIK
220Tex

ICONIK
240

ICONIK
260

ICONIK
260Tex




ICONIK
280Tex

ICONIK
300

ICONIK
400

ICONIK
450

CLASSIC
40



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40


NEW

ICONIK 240 LOGIS


Inspired by the great hall of the French Chenonceau castle, this design is a modernized version of the classic black and white marble floors.



LOGIS
BLACK & WHITE



BLACK & WHITE



LOGIS
BLACK & WHITE

2m - 240019312
3m - 240014312
4m - 240009312

Scale 1:2

Scale 1:6

2, 3, 4 m

25 x 25 cm

200 x 100 cm

2,4 mm

EXTREME PROTECTION

15 years GUARANTEE RESIDENTIAL USE


ICONIK 240 MARBLE BIANCO HEXAGON



MARBLE BIANCO HEXAGON
GREY



GREY



MARBLE BIANCO HEXAGON
GREY

2m - 5829246
3m - 5828246
4m - 5827246

Scale 1:2

Scale 1:6

2, 3, 4 m

14,2 x 16,5 cm

100 x 100 cm

2,4 mm

EXTREME PROTECTION

15 years GUARANTEE RESIDENTIAL USE

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

NEW

ICONIK 240 PIETRA SACRA


This tile flooring is composed of small details and a beautiful colour play, making you want to explore every element of the design.



PIETRA SACRA
DARK GREY



DARK GREY



2, 3, 4 m



33,33 x 50 cm



100 x 100 cm



2,4 mm



**EXTREME
PROTECTION**



15
years
GUARANTEE
RESIDENTIAL
USE

*Common design 280Tex – 240

PIETRA SACRA DARK GREY

2m - 240019303
3m - 240014303
4m - 240009303



Scale 1:6

Scale 1:2

NEW

ICONIK
150

ICONIK
220Tex

ICONIK
240

ICONIK
260

ICONIK
260Tex

ICONIK
280Tex

ICONIK
300

ICONIK
400

ICONIK
450

CLASSIC
40

ICONIK 240 PROVENZA



PROVENZA
TONED BLACK




TONED LIGHT GREY



TONED GREY



TONED BLACK



2, 3, 4 m



25 x 50 cm



100 x 100 cm



2,4 mm




PROVENZA TONED BLACK

2m - 5829209

3m - 5828209

4m - 5827209



Scale 1:6

Scale 1:2

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

PROVENZA
TONED LIGHT GREY

2m - 5829210
3m - 5828210
4m - 5827210

Scale 1:2

Scale 1:6


PROVENZA
TONED GREY

2m - 5829211
3m - 5828211
4m - 5827211

Scale 1:2

Scale 1:6

ICONIK 240
SELENE



SELENE
BLACK




BLACK

SELENE
BLACK

2m - 5829030
3m - 5828030
4m - 5827030

Scale 1:2

Scale 1:6



2, 3, 4 m



25 x 25 cm



100 x 100 cm



2,4 mm



ICONIK 240 ZARAGOZA TILE



		2, 3, 4 m
		17,5 x 17,5 cm / 45°
		100 x 100 cm
		2,4 mm
		EXTREME PROTECTION
		15 GUARANTEE RESIDENTIAL USE

ICONIK 240 BROKEN SLATE



		2, 3, 4 m
		Various
		100 x 100 cm
		2,4 mm
		EXTREME PROTECTION
		15 GUARANTEE RESIDENTIAL USE

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

NEW

ICONIK 240 METROPOLITAN

In between a concrete and a classic handmade terrazzo, this design has an all around industrial look with wood influences.



METROPOLITAN
IVORY




IVORY*



CLAY*



GRAPHITE*



2, 3, 4 m

Allover



100 x 100 cm



2,4 mm



*Common design 280Tex – 240

METROPOLITAN IVORY

2m - 240018011
3m - 240013011
4m - 240008011

Scale 1:6

Scale 1:2



NEW

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

**METROPOLITAN
CLAY**

2m - 240019012
3m - 240014012
4m - 240009012

NEW

Scale 1:2

Scale 1:6

**METROPOLITAN
GRAPHITE**

2m - 240019013
3m - 240014013
4m - 240009013

NEW

Scale 1:2

Scale 1:6

**ICONIK 240
NERO MARQUINE**



NERO MARQUINE
BLACK



BLACK*




METROPOLITAN
CLAY

**NERO MARQUINE
BLACK**

2m - 5829234
3m - 5828234
4m - 5827234

Scale 1:2

Scale 1:6



2, 3, 4 m



Allover



200 x 100 cm



2,4 mm



*Common design 280Tex - 240

ICONIK 240

ROCK



ROCK
MIDDLE GREY



MIDDLE GREY



MEDIUM GREGE




SNOW BEIGE



GREY BLACK



CHARCOAL



2, 3, 4 m



All over



100 x 100 cm



2,4 mm



ROCK MIDDLE GREY

2m - 5829033

3m - 5828033

4m - 5827033

Scale 1:6

Scale 1:2

ROCK
MEDIUM GREGE

2m - 5829020
3m - 5828020
4m - 5827020

Scale 1:2

Scale 1:6

ROCK
SNOW BEIGE

2m - 5829018
3m - 5828018
4m - 5827018

Scale 1:2

Scale 1:6

ROCK
GREY BLACK

2m - 5829019
3m - 5828019
4m - 5827019

Scale 1:2

Scale 1:6

ROCK
CHARCOAL

2m - 5829144
3m - 5828144
4m - 5827144

Scale 1:2

Scale 1:6

ICONIK 240 KIRUMA



KIRUMA
METALIC BLACK

KIRUMA
METALIC BLACK

2m - 5738008
3m - 5737008
4m - 5736008

Scale 1:2


Scale 1:6

KIRUMA
METALIC GREY

2m - 5738007
3m - 5737007
4m - 5736007

Scale 1:2

Scale 1:6



2, 3, 4 m



Allover



100 x 100 cm



2,4 mm



EXTREME
PROTECTION



15
years
GUARANTEE
RESIDENTIAL
USE

*Common design 280Tex – 240

ICONIK 240



STYLISH CONCRETE



GREY



DARK GREY



2, 3, 4 m



Allover



100 x 100 cm



2,4 mm



STYLISH CONCRETE GREY

2m - 5829134
3m - 5828134
4m - 5827134



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 260 AMBOISE



AMBOISE
BLANC




AMBOISE
BLANC

2m - 27125043
3m - 27124043
4m - 27123043

Scale 1:2

Scale 1:6



AMBOISE
CHOCOLAT

2m - 27125025
3m - 27124025
4m - 27123025

Scale 1:2


Scale 1:6

		2, 3, 4 m
		6 x 18 cm
		100 x 100 cm
		2,6 mm

ICONIK 260 ARCADIA



ARCADIA
NATURAL



ARCADIA
NATURAL

2m - 27125039
3m - 27124039
4m - 27123039

Scale 1:2

Scale 1:6



NATURAL

		2, 3, 4 m
		16,6 x 100 cm
		100 x 100 cm
		2,6 mm

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 260 AUTHENTIC



AUTHENTIC
NATURAL



AUTHENTIC
NATURAL

2m - 27125026
3m - 27124026
4m - 27123026

Scale 1:2

Scale 1:6



AUTHENTIC
DARK BROWN


2m - 27125044
3m - 27124044
4m - 27123044

Scale 1:2

Scale 1:6

		2, 3, 4 m
		16,6 x 100 cm
		100 x 100 cm
		2,6 mm

ICONIK 260 BEECH



BEECH
BEIGE YELLOW



BEECH
BEIGE YELLOW

2m - 27125030
3m - 27124030
4m - 27123030

Scale 1:2

Scale 1:6



BEECH
BEIGE BROWN

2m - 27125031
3m - 27124031
4m - 27123031

Scale 1:2

Scale 1:6

		2, 3, 4 m
		7 x 30/26,5 cm
		100 x 100 cm
		2,6 mm

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 260 BISCAY 2



BISCAY 2
BROWN




BROWN



BISCAY 2
BROWN

2m - 27125050
3m - 27124050
4m - 27123050



ICONIK 260 BOATDECK



BOATDECK
RED BROWN




RED BROWN



BOATDECK
RED BROWN

2m - 27125051
3m - 27124051
4m - 27123051



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 260 BRUXELLES



		2, 3, 4 m
		12,5 x 100 cm
		100 x 100 cm
		2,6 mm

EXTREME PROTECTION

10 years GUARANTEE RESIDENTIAL USE

ICONIK 260 CHEVRON STYLE



		2, 3, 4 m
		Chevron
		200 x 100 cm
		2,6 mm


EXTREME PROTECTION

10 years GUARANTEE RESIDENTIAL USE

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

CHEVRON STYLE
SMOKED

2m - 27125132
3m - 27124132
4m - 27123132



Scale 1:6

Scale 1:2

ICONIK 260 CHILIA



CHILIA
BLACK

CHILIA BLACK

2m - 27125080
3m - 27124080
4m - 27123080




Scale 1:6

Scale 1:2



BLACK



2, 3, 4 m



6,6 cm x
multi-lengths



100 x 100 cm



2,6 mm




EXTREME
PROTECTION

10
years
GUARANTEE
RESIDENTIAL
USE

NEW

ICONIK 260 ESTATE OAK

The structure and colour play of this flooring is mostly based on tropical influences, however the classic red-brown colour of oak is entirely present as well.



		2, 3, 4 m
		16,66 x 100 cm
		200 x 100 cm
		2,6 mm

EXTREME PROTECTION


10 years GUARANTEE RESIDENTIAL USE

*Common design 260Tex – 260



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 260 FLANDERS



FLANDERS
BEIGE BROWN



FLANDERS
DARK BEIGE

2m - 27125056
3m - 27124056
4m - 27123056

Scale 1:6

Scale 1:2



FLANDERS
BEIGE BROWN

2m - 27125055
3m - 27124055
4m - 27123055

Scale 1:6

Scale 1:2

		2, 3, 4 m
		20 x 100 cm
		100 x 100 cm
		2,6 mm

EXTREME PROTECTION

10 years GUARANTEE RESIDENTIAL USE

ICONIK 260 GEA



GEA
DARK BEIGE




GEA
LIGHT BROWN

2m - 27125027
3m - 27124027
4m - 27123027

Scale 1:6

Scale 1:2



GEA
DARK BEIGE

2m - 27125057
3m - 27124057
4m - 27123057

Scale 1:6

Scale 1:2

		2, 3, 4 m
		11,1 x 100 cm
		100 x 100 cm
		2,6 mm

EXTREME PROTECTION

10 years GUARANTEE RESIDENTIAL USE

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 260

GORDON



GORDON
BROWN



BROWN



2, 3, 4 m



10 x 100 cm



100 x 100 cm

2,6 mm

EXTREME
PROTECTION



10 years
GUARANTEE
RESIDENTIAL
USE

GORDON
BROWN

2m - 27125029
3m - 27124029
4m - 27123029



Scale 1:6

Scale 1:2

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 260 INFINITY OAK



INFINITY OAK
GREY



WHITE



BEIGE




NATURAL



GREY



DARK GREY



2, 3, 4 m



25 cm x Infit



100 x 100 cm



2,6 mm



INFINITY OAK GREY

2m - 27125023

3m - 27124023

4m - 27123023



Scale 1:6

Scale 1:2

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

**INFINITY OAK
WHITE**

2m - 27125089
3m - 27124089
4m - 27123089

Scale 1:2

Scale 1:6

**INFINITY OAK
BEIGE**

2m - 27125086
3m - 27124086
4m - 27123086

Scale 1:2

Scale 1:6

**INFINITY OAK
NATURAL**

2m - 27125088
3m - 27124088
4m - 27123088

Scale 1:2

Scale 1:6

**INFINITY OAK
DARK GREY**

2m - 27125087
3m - 27124087
4m - 27123087

Scale 1:2

Scale 1:6

**ICONIK 260
KENT**




CLAIR

**KENT
CLAIR**

2m - 27125028
3m - 27124028
4m - 27123028

Scale 1:2

Scale 1:6



2, 3, 4 m



14 x 100 cm



100 x 100 cm



2,6 mm



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 260

OAK




DARK BEIGE



GREY BEIGE



METALIC



2, 3, 4 m



100 x 100 cm



2,6 mm



OAK METALIC

2m - 27125094

3m - 27124094

4m - 27123094



Scale 1:6

Scale 1:2

OAK
DARK BEIGE

2m - 27125062
3m - 27124062
4m - 27123062



Scale 1:6

Scale 1:2

OAK
GREY BEIGE

2m - 27125063
3m - 27124063
4m - 27123063



Scale 1:6

Scale 1:2

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 260 OLD MELEZE



OLD MELEZE
LIGHT BROWN



LIGHT BROWN



BROWN



GREY



DARK GREY



2, 3, 4 m



20 x 100 cm



100 x 100 cm



2,6 mm



OLD MELEZE LIGHT BROWN

2m - 27125095

3m - 27124095

4m - 27123095



Scale 1:6

Scale 1:2

**OLD MELEZE
BROWN**

2m - 27125065
3m - 27124065
4m - 27123065

Scale 1:2

Scale 1:6

**OLD MELEZE
GREY**

2m - 27125022
3m - 27124022
4m - 27123022

Scale 1:2

Scale 1:6

**OLD MELEZE
DARK GREY**

2m - 27125064
3m - 27124064
4m - 27123064

Scale 1:2

Scale 1:6

ICONIK 260 PATCHED WOOD



PATCHED WOOD
GREY




GREY

**PATCHED WOOD
GREY**

2m - 27024003
3m - 27017003
4m - 27010003

Scale 1:2

Scale 1:6



2, 3, 4 m

20 x 100 cm



100 x 100 cm



2,6 mm



ICONIK 260 PAINTED WOOD



PAINTED WOOD
LIGHT GREY



GREY-BLUE



LIGHT GREY



GREY



2, 3, 4 m



12,5 x 100 cm



100 x 100 cm



2,6 mm




PAINTED WOOD GREY-BLUE

2m - 240016319

3m - 240011319

4m - 240006319



Scale 1:6

Scale 1:2

PAINTED WOOD
LIGHT GREY

2m - 27125096
3m - 27124096
4m - 27123096

Scale 1:2

Scale 1:6

PAINTED WOOD
GREY

2m - 27125098
3m - 27124098
4m - 27123098

Scale 1:2

Scale 1:6

ICONIK 260

PEAR



PEAR
NATURAL




NATURAL

PEAR NATURAL

2m - 27125066
3m - 27124066
4m - 27123066

Scale 1:2

Scale 1:6



2, 3, 4 m



10 x 60 cm



100 x 100 cm



2,6 mm




ICONIK 260 ROBUR



WHITE*



YELLOW



2, 3, 4 m



7,8 x 100 cm



100 x 100 cm



2,6 mm



*Common design 260Tex – 260

ROBUR YELLOW

2m - 27125067
3m - 27124067
4m - 27123067



ICONIK 260 RUSTIC OAK



RUSTIC OAK
GREY



WHITE



LIGHT BEIGE




GREY



DARK GREY



RED BROWN



2, 3, 4 m



10 x 100 cm



100 x 100 cm



2,6 mm



RUSTIC OAK GREY

2m - 27125024

3m - 27124024

4m - 27123024



Scale 1:6

Scale 1:2



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

NEW

ICONIK 260 SKANE HERRINGBONE

Sourced from our own Tarkett parquet Segno, this classic laying pattern adds style and panache to any room.



SKANE HERRINGBONE
BLONDE



BROWN*



SAND



STONE




ROCK



NATURAL*



BLONDE*



2, 3, 4 m



11,75 x 47,25 cm



200 x 100 cm



2,6 mm



EXTREME
PROTECTION

10
years
GUARANTEE
RESIDENTIAL
USE

*Common design 260Tex – 260

SKANE HERRINGBONE BLONDE

2m - 240016022
3m - 240011022
4m - 240006022



Scale 1:6

Scale 1:2

NEW

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 260

SWAN



SWAN
DARK GREY



LIGHT GREY*



MEDIUM GREY*




MEDIUM GREGE*



TAUPE



DARK GREY



2, 3, 4 m



16,5 x 100 cm



100 x 100 cm



2,6 mm



*Common design 260Tex – 260

SWAN DARK GREY

2m - 27125106

3m - 27124106

4m - 27123106



Scale 1:6



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

SWAN
LIGHT GREY

2m - 27125109
3m - 27124109
4m - 27123109

Scale 1:2

Scale 1:6

SWAN
MEDIUM GREGE

2m - 27125108
3m - 27124108
4m - 27123108

Scale 1:2

Scale 1:6

SWAN
MEDIUM GREY

2m - 27125110
3m - 27124110
4m - 27123110

Scale 1:2

Scale 1:6

SWAN
TAUPE

2m - 27125107
3m - 27124107
4m - 27123107

Scale 1:2

Scale 1:6

ICONIK 260 SLIM



SLIM
ARGENT

2m - 27125104
3m - 27124104
4m - 27123104

Scale 1:2


Scale 1:6

SLIM
BLANC

2m - 27125103
3m - 27124103
4m - 27123103

Scale 1:2

Scale 1:6



2, 3, 4 m



Allover



100 x 100 cm



2,6 mm



ICONIK 150

ICONIK 220Tex

ICONIK 240

ICONIK 260

ICONIK 260Tex

ICONIK 280Tex

ICONIK 300

ICONIK 400

ICONIK 450

CLASSIC 40


ICONIK 260 TREND PINE



BLUE-GREEN



MULTICOLOR



2, 3, 4 m



Various



100 x 100 cm



2,6 mm



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

TREND PINE
MULTICOLOR

2m - 27125114
3m - 27124114
4m - 27123114



Scale 1:6

Scale 1:2

ICONIK 260 VACANO



VACANO
WHITE



WHITE




VACANO
WHITE

2m - 27125115
3m - 27124115
4m - 27123115

Scale 1:6

Scale 1:2



2, 3, 4 m



10 x 100 cm



100 x 100 cm



2,6 mm



EXTREME
PROTECTION



10 years
GUARANTEE
RESIDENTIAL
USE

ICONIK 260 VALLEY



SMOKED



CARAMEL



MID OAK



2, 3, 4 m



7,5 x 35,5 cm



100 x 100 cm



2,6 mm



VALLEY SMOKED

2m - 27125149

3m - 27124149

4m - 27123149



VALLEY
CARAMEL

2m - 27125148
3m - 27124148
4m - 27123148

NEW



Scale 1:6

VALLEY
MID OAK

2m - 27125135
3m - 27124135
4m - 27123135



Scale 1:6

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 260

VINTAGE OAK



VINTAGE OAK
GREY



LIGHT BEIGE



MIDDLE GREY



GREY



NATURAL




BROWN



BLACK



DARK BLACK



2, 3, 4 m



20 x 133 cm



133 x 100 cm



2,6 mm



VINTAGE OAK GREY

2m - 27125121

3m - 27124121

4m - 27123121



Scale 1:6





ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40


ICONIK 260 VINTAGE PINE



VINTAGE PINE
SNOW



SNOW




ICONIK 260 CABANA



CABANA
GREY



GREY



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40



ICONIK 260 COSMO



COSMO
CEMENT



CEMENT




ICONIK 260 COTTAGE STONE



COTTAGE STONE
BEIGE GREY



BEIGE GREY



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40


ICONIK 260 ECHIQUIER 2



ECHIQUIER 2
BLACK WHITE




BLACK WHITE



Scale 1:6

ECHIQUIER 2 BLACK WHITE

2m - 27125053
3m - 27124053
4m - 27123053



2, 3, 4 m

25 x 25 cm



100 x 100 cm




2,6 mm



ICONIK 260 GRANITE




GRANITE
BLACK



Scale 1:6

GRANITE ALU BLACK

2m - 27125058
3m - 27124058
4m - 27123058



2, 3, 4 m

25 x 25 cm



100 x 100 cm



2,6 mm



GRANITE GREGE

2m - 27125059
3m - 27124059
4m - 27123059

Scale 1:2

Scale 1:6


ICONIK 260 IBIZA



IBIZA
GRAPHITE



GRAPHITE



2, 3, 4 m



20 x 20 cm



100 x 100 cm



2,6 mm



IBIZA GRAPHITE

2m - 27125060

3m - 27124060

4m - 27123060



Scale 1:6

Scale 1:2

ICONIK 260 MARQUINE TILE





MARQUINE TILE
BLACK GREY



ANTHRACITE SILVER*



BLACK GREY*



2, 3, 4 m



25 x 33,33 cm




100 x 100 cm



2,6 mm





*Common design 260Tex – 260





ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 260 MELBOURNE



*Common design 260Tex – 260


ICONIK 260 MARBLE BIANCO HEXAGON



ICONIK 260 NERO MARQUINE



BLACK



2, 3, 4 m



Allover



200 x 100 cm



2,6 mm



NERO MARQUINE BLACK

2m - 27125134

3m - 27124134

4m - 27123134

Scale 1:6

Scale 1:2

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40


ICONIK 260 NERO MARQUINE HEXAGON



NERO MARQUINE HEXAGON
GOLD



GOLD



		2, 3, 4 m
		14,2 x 16,5 cm
		100 x 100 cm
		2,6 mm

EXTREME PROTECTION

10 years GUARANTEE RESIDENTIAL USE


ICONIK 260 RUSTIC SLATE



RUSTIC SLATE
DARK BLACK



DARK BLACK



		2, 3, 4 m
		Various
		100 X 100 cm
		2,6 mm

EXTREME PROTECTION

10 years GUARANTEE RESIDENTIAL USE

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

NEW

ICONIK 260 TENDENZA

This flooring comes in our bestselling gray colours and contemporary concrete design.



TENDENZA
COOL GREY




LIGHT GREY



COOL GREY



DARK GREY



2, 3, 4 m

All over



200 x 100 cm




2,6 mm



TENDENZA COOL GREY

2m - 240016024
3m - 240011024
4m - 240006024



Scale 1:6



Scale 1:2

NEW

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

TENDENZA
LIGHT GREY

2m - 240016025
3m - 240011025
4m - 240006025

NEW

Scale 1:2

Scale 1:6

TENDENZA
DARK GREY

2m - 240016026
3m - 240011026
4m - 240006026

NEW

Scale 1:2

Scale 1:6

ICONIK 260 METALLICA



METALLICA
GREY




GREY

METALLICA GREY

2m - 27125092
3m - 27124092
4m - 27123092

Scale 1:2

Scale 1:6



2, 3, 4 m



Allover



100 x 100 cm



2,6 mm



ICONIK 150

ICONIK 220Tex

ICONIK 240

ICONIK 260

ICONIK 260Tex

ICONIK 280Tex

ICONIK 300

ICONIK 400

ICONIK 450

CLASSIC 40

ICONIK 260

DJ



DJ
RED



WHITE




GREY



RED



BLACK



2, 3, 4 m



Allover

100 x 100 cm



2,6 mm



DJ
RED

2m - 27125084

3m - 27124084

4m - 27123084

Scale 1:6

Scale 1:2

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

DJ
WHITE

2m - 27125081
3m - 27124081
4m - 27123081

Scale 1:2

Scale 1:6

DJ
GREY

2m - 27125083
3m - 27124083
4m - 27123083

Scale 1:2

Scale 1:6

DJ
BLACK

2m - 27125082
3m - 27124082
4m - 27123082

Scale 1:2

Scale 1:6

ICONIK 260 FIBER WOOD



FIBER WOOD
METALIC




METALIC

FIBER WOOD
METALIC

2m - 27125085
3m - 27124085
4m - 27123085

Scale 1:2

Scale 1:6



2, 3, 4 m



Allover



100 x 100 cm

2,6 mm



NEW

ICONIK 260 FIBRA 4

This design displays the balanced structure of HDF material, combined with the most common colours of plain ceramic tiles.



FIBRA 4
MIST




MIST*

GRAVEL*

PEPPLE*

TARMAC*



2, 3, 4 m

Allover



100 x 100 cm




2,6 mm



*Common design 260Tex – 260

FIBRA 4 MIST

- 2m - 240016004
- 3m - 240011004
- 4m - 240006004



Scale 1:6

Scale 1:2


NEW

- ICONIK 150
- ICONIK 220Tex
- ICONIK 240
- ICONIK 260
- ICONIK 260Tex
- ICONIK 280Tex
- ICONIK 300
- ICONIK 400
- ICONIK 450
- CLASSIC 40

**FIBRA 4
GRAVEL**

2m - 240016005
3m - 240011005
4m - 240006005

NEW



Scale 1:6

**FIBRA 4
PEPPLE**

2m - 240016007
3m - 240011007
4m - 240006007

NEW



Scale 1:6

**FIBRA 4
TARMAC**

2m - 240016006
3m - 240011006
4m - 240006006

NEW



Scale 1:6



**FIBRA 4
GRAVEL**

ICONIK
150

ICONIK
220Tex

ICONIK
240

ICONIK
260

ICONIK
260Tex

ICONIK
280Tex

ICONIK
300

ICONIK
400

ICONIK
450

CLASSIC
40

ICONIK 260

ROCK



ROCK
MIDDLE BEIGE




MIDDLE BEIGE*



GREY BLACK*



BLACK SILVER



2, 3, 4 m

Allover



100 x 100 cm



2,6 mm



*Common design 260Tex – 260

ROCK MIDDLE BEIGE

2m - 27125068

3m - 27124068

4m - 27123068

Scale 1:2

Scale 1:2

ROCK
GREY BLACK

2m - 27125070
3m - 27124070
4m - 27123070

Scale 1:2

Scale 1:6

ROCK
BLACK SILVER

2m - 27125071
3m - 27124071
4m - 27123071

Scale 1:2

Scale 1:6

ICONIK 260 ZENON



ZENON
GREY BEIGE

ZENON
GREY BEIGE

2m - 27125034
3m - 27124034
4m - 27123034

Scale 1:2


Scale 1:6

ZENON
ANTHRACITE

2m - 27125033
3m - 27124033
4m - 27123033

Scale 1:2

Scale 1:6



2, 3, 4 m



Allover



100 x 100 cm

2,6 mm



NEW

ICONIK 260Tex ESTATE OAK


The structure and colour play of this flooring is mostly based on tropical influences, however the classic red-brown colour of oak is entirely present as well.



ESTATE OAK
ALMOND



ALMOND*



2, 3, 4 m



16,66 x 100 cm



200 x 100 cm



2,6 mm



*Common design 260 – 260Tex

ESTATE OAK ALMOND

2m - 240017001
3m - 240012001
4m - 240007001



Scale 1:6

Scale 1:2

NEW

ICONIK
150

ICONIK
220Tex

ICONIK
240

ICONIK
260

ICONIK
260Tex

ICONIK
280Tex

ICONIK
300

ICONIK
400

ICONIK
450

CLASSIC
40

**ESTATE OAK
CARMEL**

2m - 240017003
3m - 240012003
4m - 240007003

NEW

Scale 1:2

Scale 1:6



**ESTATE OAK
CARMEL**

**ICONIK 260Tex
FRENCH OAK**



**FRENCH OAK
LIGHT NATURAL**

**FRENCH OAK
LIGHT NATURAL***

2m - 27122002
3m - 27121002
4m - 27120002

**FRENCH OAK
LIGHT***


2m - 27122003
3m - 27121003
4m - 27120003

Scale 1:2

Scale 1:6

Scale 1:2

Scale 1:6



2, 3, 4 m



10 x 100 cm



100 x 100 cm



2,6 mm



*Common design 260 – 260Tex

ICONIK 260Tex – 213

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 260Tex ROBUR



ROBUR
WHITE



WHITE*



		2, 3, 4 m
		7,8 x 100 cm
		100 x 100 cm
		2,6 mm

*Common design 260 – 260Tex

ICONIK 260Tex KENT



KENT
CLAIR



CLAIR



		2, 3, 4 m
		14 x 100 cm
		100 x 100 cm
		2,6 mm

ICONIK 260Tex

SWAN



SWAN
LIGHT GREY




LIGHT GREY*



MEDIUM GREY*



MEDIUM GREGE*



2, 3, 4 m



16,5 x 100 cm



100 x 100 cm




2,6 mm



*Common design 260 – 260Tex

SWAN LIGHT GREY

2m - 240017049
3m - 240012049
4m - 240007049



Scale 1:6

Scale 1:2

NEW

ICONIK 150

ICONIK 220Tex

ICONIK 240

ICONIK 260

ICONIK 260Tex

ICONIK 280Tex

ICONIK 300

ICONIK 400

ICONIK 450

CLASSIC 40

SWAN
MEDIUM GREY

2m - 27122009
3m - 27121009
4m - 27120009

Scale 1:2

Scale 1:6

SWAN
MEDIUM GREGE

2m - 27122010
3m - 27121010
4m - 27120010

Scale 1:2

Scale 1:6

ICONIK 260Tex MARQUINE TILE



MARQUINE TILE
ANTHRACITE SILVER



ANTHRACITE SILVER*


MARQUINE TILE
ANTHRACITE SILVER

2m - 240017045
3m - 240012045
4m - 240007045

Scale 1:2

Scale 1:6

NEW



2, 3, 4 m



25 x 33,33 cm



100 x 100 cm



2,6 mm



*Common design 260 – 260Tex

ICONIK 260Tex MELBOURNE



MELBOURNE
GREGE



MELBOURNE
GRIS

2m - 27122007
3m - 27121007
4m - 27120007

Scale 1:2

Scale 1:6



2, 3, 4 m



25 x 50 cm



100 x 100 cm



2,6 mm



*Common design 260 – 260Tex

MELBOURNE GREGE

2m - 27122006
3m - 27121006
4m - 27120006

Scale 1:6

Scale 1:2

ICONIK
150

ICONIK
220Tex

ICONIK
240

ICONIK
260

ICONIK
260Tex

ICONIK
280Tex

ICONIK
300

ICONIK
400

ICONIK
450

CLASSIC
40

ICONIK 260Tex ARDINA



ARDINA
GREY



GREY




ARDINA
GREY

2m - 27122001
3m - 27121001
4m - 27120001

Scale 1:2

Scale 1:6



2, 3, 4 m

Allover



100 x 100 cm



2,6 mm



ICONIK 260Tex KIRUMA



KIRUMA
WARM BEIGE



WARM BEIGE




KIRUMA
WARM BEIGE

2m - 27122005
3m - 27121005
4m - 27120005

Scale 1:2

Scale 1:6



2, 3, 4 m

Allover



100 x 100 cm



2,6 mm



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

NEW

ICONIK 260Tex FIBRA 4


This design displays the balanced structure of HDF material, combined with the most common colours of plain ceramic tiles.



FIBRA 4
GRAVEL



GRAVEL*



2, 3, 4 m

Allover



100 x 100 cm




2,6 mm



*Common design 260 – 260Tex

FIBRA 4 GRAVEL

- 2m - 240017005
- 3m - 240012005
- 4m - 240007005



Scale 1:6

Scale 1:2

NEW

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 260Tex ROCK




ROCK
GREY BLACK



GREY BLACK*



MIDDLE BEIGE*




ROCK MIDDLE BEIGE

2m - 240017048
3m - 240012048
4m - 240007048

Scale 1:2

Scale 1:6



2, 3, 4 m



All over



100 x 100 cm




2,6 mm



*Common design 260 – 260Tex

ROCK GREY BLACK

2m - 240017047
3m - 240012047
4m - 240007047



Scale 1:2

Scale 1:6

NEW

ICONIK 150

ICONIK 220Tex

ICONIK 240

ICONIK 260

ICONIK 260Tex

ICONIK 280Tex

ICONIK 300

ICONIK 400

ICONIK 450

CLASSIC 40

ICONIK 280Tex

ANCARES HERRINGBONE



ANCARES HERRINGBONE
BROWN



BEIGE*



GREGE




LIMED*



GREY*



BROWN



2, 3, 4 m



8,8 x 35,5 cm



100 x 100 cm




2,8 mm



*Common design 240 – 280Tex

ANCARES HERRINGBONE BROWN

2m - 27027048
3m - 27020048
4m - 27013048



Scale 1:6



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

**ANCARES HERRINGBONE
BEIGE**

2m - 27027047
3m - 27020047
4m - 27013047

Scale 1:2

Scale 1:6

**ANCARES HERRINGBONE
GREGE**

2m - 27027050
3m - 27020050
4m - 27013050

Scale 1:2

Scale 1:6

**ANCARES HERRINGBONE
GREY**

2m - 27027049
3m - 27020049
4m - 27013049

Scale 1:6

**ANCARES HERRINGBONE
LIMED**

2m - 27027046
3m - 27020046
4m - 27013046

Scale 1:2

Scale 1:6

Scale 1:2

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 280Tex

ANCARES OAK PLANK



BEIGE*



LIMED




GREGE



BROWN*



GREY*



2, 3, 4 m



16,66 x 100 cm



100 x 100 cm



2,8 mm



EXTREME PROTECTION



15 years GUARANTEE RESIDENTIAL USE

*Common design 240 – 280Tex

ANCARES OAK PLANK BROWN

2m - 27027053
3m - 27020053
4m - 27013053



Scale 1:6

Scale 1:2

**ANCARES OAK PLANK
BEIGE**

2m - 27027052
3m - 27020052
4m - 27013052

Scale 1:2

Scale 1:6

**ANCARES OAK PLANK
LIMED**

2m - 27027055
3m - 27020055
4m - 27013055

Scale 1:2

Scale 1:6

**ANCARES OAK PLANK
GREY**

2m - 27027054
3m - 27020054
4m - 27013054

Scale 1:6

**ANCARES OAK PLANK
GREGE**

2m - 27027051
3m - 27020051
4m - 27013051

Scale 1:2

Scale 1:6

Scale 1:2

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 280Tex APUNARA OAK



APUNARA OAK
LIGHT GREY



WHITE*



NATURAL




LIGHT GREY



GREY*



DARK GREY



2, 3, 4 m



16,5 x 100 cm



100 x 100 cm



2,8 mm



*Common design 240 – 280Tex

APUNARA OAK LIGHT GREY

2m - 27027036

3m - 27020036

4m - 27013036



Scale 1:6

Scale 1:2

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

**APUNARA OAK
WHITE**

2m - 27027038
3m - 27020038
4m - 27013038

Scale 1:2

Scale 1:6

**APUNARA OAK
NATURAL**

2m - 27027037
3m - 27020037
4m - 27013037

Scale 1:2

Scale 1:6

ICONIK 280Tex ARCADIA



ARCADIA
MIDDLE NATURAL

**ARCADIA
MIDDLE NATURAL**

2m - 5591065
3m - 5590063
4m - 5589067

Scale 1:2

Scale 1:6

**APUNARA OAK
GREY**

2m - 27027035
3m - 27020035
4m - 27013035

Scale 1:2

Scale 1:6

**APUNARA OAK
DARK GREY**

2m - 27027034
3m - 27020034
4m - 27013034

Scale 1:2


Scale 1:6

**ARCADIA
MIDDLE GREY**

2m - 5591064
3m - 5590062
4m - 5589066

Scale 1:2

Scale 1:6



2, 3, 4 m

16,6 x 100 cm



100 x 100 cm



2,8 mm



**EXTREME
PROTECTION** **15 years
GUARANTEE
RESIDENTIAL
USE**

ICONIK 280Tex AUTHENTIC



AUTHENTIC
DARK NATURAL




MIDDLE GREY



DARK NATURAL



CHOCOLATE



2, 3, 4 m



16,6 x 100 cm



100 x 100 cm



2,8 mm



AUTHENTIC DARK NATURAL

2m - 5591028
3m - 5590026
4m - 5589030



Scale 1:6

Scale 1:2

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

**AUTHENTIC
MIDDLE GREY**

2m - 5591062
3m - 5590060
4m - 5589064

Scale 1:2

Scale 1:6

**AUTHENTIC
CHOCOLATE**

2m - 27027017
3m - 27020017
4m - 27013017

Scale 1:2

Scale 1:6

ICONIK 280Tex AUSTRIA OAK



AUSTRIA OAK
MIDDLE NATURAL




MIDDLE NATURAL

**AUSTRIA OAK
MIDDLE NATURAL**

2m - 5591134
3m - 5590134
4m - 5589134

Scale 1:2

Scale 1:6



2, 3, 4 m

20 x 150 cm



150 x 100 cm



2,8 mm




**EXTREME
PROTECTION**



15 years
GUARANTEE
RESIDENTIAL
USE

ICONIK 280Tex BEECH



		2, 3, 4 m
		7 x 30/26,5 cm
		100 x 100 cm
		2,8 mm

EXTREME PROTECTION

15 years GUARANTEE RESIDENTIAL USE

ICONIK 280Tex CASTEL




		2, 3, 4 m
		7 x multi-lengths cm
		100 x 100 cm
		2,8 mm

EXTREME PROTECTION

15 years GUARANTEE RESIDENTIAL USE

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 280Tex CLASSICAL OAK



CLASSICAL OAK
GREY



CLASSICAL OAK
GREY

2m - 5591072
3m - 5590070
4m - 5589074

Scale 1:2

Scale 1:6



CLASSICAL OAK
NATURAL

2m - 5591071
3m - 5590069
4m - 5589073

Scale 1:2


Scale 1:6

		2, 3, 4 m
		6,6 x multi-lengths cm
		100 x 100 cm
		2,8 mm
		EXTREME PROTECTION
		15 years GUARANTEE RESIDENTIAL USE

ICONIK 280Tex ERABLE



ERABLE
EXOTIC



ERABLE
EXOTIC

2m - 5591068
3m - 5590066
4m - 5589070

Scale 1:2

Scale 1:6



EXOTIC

		2, 3, 4 m
		10 x 100 cm
		100 x 100 cm
		2,8 mm
		EXTREME PROTECTION
		15 years GUARANTEE RESIDENTIAL USE

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40


ICONIK 280Tex FRENCH OAK



FRENCH OAK
LIGHT



LIGHT



2, 3, 4 m



10 x 100 cm



100 x 100 cm



2,8 mm



FRENCH OAK LIGHT

2m - 5591126

3m - 5590126

4m - 5589126

Scale 1:6

Scale 1:2

ICONIK 280Tex FUMED OAK



FUMED OAK
GREY BEIGE



GREY BEIGE



SOFT BEIGE



LIGHT BROWN



NATURAL BEIGE




DARK BEIGE



WARM GREY



MEDIUM BROWN



2, 3, 4 m



20 x 150 cm



150 x 100 cm



2,8 mm



FUMED OAK GREY BEIGE

2m - 27027040

3m - 27020040

4m - 27013040



Scale 1:6

Scale 1:2

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

**FUMED OAK
SOFT BEIGE**

2m - 27027043
3m - 27020043
4m - 27013043

Scale 1:2

Scale 1:6

**FUMED OAK
LIGHT BROWN**

2m - 27027045
3m - 27020045
4m - 27013045

Scale 1:2

Scale 1:6

**FUMED OAK
WARM GREY**

2m - 27027039
3m - 27020039
4m - 27013039

Scale 1:2

Scale 1:6

**FUMED OAK
MEDIUM BROWN**

2m - 27027044
3m - 27020044
4m - 27013044

Scale 1:2

Scale 1:6

**FUMED OAK
NATURAL BEIGE**

2m - 27027042
3m - 27020042
4m - 27013042

Scale 1:2

Scale 1:6

**FUMED OAK
DARK BEIGE**

2m - 27027041
3m - 27020041
4m - 27013041

Scale 1:2

Scale 1:6



**FUMED OAK
SOFT BEIGE**

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 280Tex

GEA



GEA
NATURAL




GREY



LIGHT GREY



NATURAL



2, 3, 4 m



11,1 x 100 cm



100 x 100 cm



2,8 mm



GEA
NATURAL

2m - 5591006

3m - 5590006

4m - 5589006

Scale 1:6

Scale 1:2

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

GEA
GREY

2m - 5591061
3m - 5590059
4m - 5589063

Scale 1:2

Scale 1:6

GEA
LIGHT GREY

2m - 27027015
3m - 27020015
4m - 27013015

Scale 1:2

Scale 1:6

ICONIK 280Tex HARMONY OAK



HARMONY OAK
BEIGE




BEIGE

HARMONY OAK
BEIGE

2m - 5591137
3m - 5590137
4m - 5589137

Scale 1:2

Scale 1:6



2, 3, 4 m



16,6 x 100 cm



100 x 100 cm



2,8 mm



ICONIK 280Tex LEGACY OAK



LEGACY OAK
SAND




IVORY



SAND



LIGHT GREY



2, 3, 4 m



20 x 133 cm



133 x 100 cm



2,8 mm



LEGACY OAK SAND

2m - 27027026

3m - 27020026

4m - 27013026



Scale 1:6



Scale 1:2

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

LEGACY OAK
IVORY

2m - 27027028
3m - 27020028
4m - 27013028



Scale 1:6

LEGACY OAK
LIGHT GREY

2m - 5591136
3m - 5590136
4m - 5589136



Scale 1:6

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 280Tex NATURE OAK



NATURE OAK
LIGHT BROWN




WHITE



LIGHT BROWN



NATURAL



2, 3, 4 m



16,66 x 100 cm



100 x 100 cm



2,8 mm



EXTREME
PROTECTION



15 years
GUARANTEE
RESIDENTIAL
USE

NATURE OAK
LIGHT BROWN

2m - 27027003

3m - 27020003

4m - 27013003



Scale 1:6

Scale 1:2

**NATURE OAK
WHITE**

2m - 27027004
3m - 27020004
4m - 27013004



Scale 1:6

Scale 1:2

**NATURE OAK
NATURAL**

2m - 27027001
3m - 27020001
4m - 27013001



Scale 1:6

Scale 1:2

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 280Tex NOCE CLASSICO



NOCE CLASSICO
RED BROWN



RED BROWN




NOCE CLASSICO RED BROWN

2m - 27027056
3m - 27020056
4m - 27013056

Scale 1:2

Scale 1:6



ICONIK 280Tex PRESTIGE OAK



PRESTIGE OAK
LIGHT-BROWN



PRESTIGE OAK LIGHT-BROWN

2m - 240018139
3m - 240013139
4m - 240008139

Scale 1:2

Scale 1:6



PRESTIGE OAK SMOKE

2m - 27027031
3m - 27020031
4m - 27013031

Scale 1:2

Scale 1:6



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

NEW

ICONIK 280Tex POWELL OAK

Big, beautiful and classic, the sweeping cathedrals and well distributed knots of this flooring create the perfect picture of nature.



POWELL OAK
HAY



HAY*




BLONDE*



GOLD*



BRONZE*



2, 3, 4 m



20 x 150 cm



200 x 150 cm



2,8 mm



EXTREME
PROTECTION



15
years
GUARANTEE
RESIDENTIAL
USE

*Common design 240 – 280Tex

POWELL OAK HAY

2m - 240018020
3m - 240013020
4m - 240008020



Scale 1:6



Scale 1:2

NEW

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

**POWELL OAK
BLONDE**

2m - 240018018
3m - 240013018
4m - 240008018

NEW

Scale 1:2

Scale 1:6

**POWELL OAK
GOLD**

2m - 240018017
3m - 240013017
4m - 240008017

NEW

Scale 1:2

Scale 1:6

**POWELL OAK
BRONZE**

2m - 240018019
3m - 240013019
4m - 240008019

NEW

Scale 1:2

Scale 1:6



**POWELL OAK
BRONZE**



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 280Tex SLOW OAK




WHITE



NATURAL



BROWN



2, 3, 4 m



12,5 x 100 cm



100 x 100 cm



2,8 mm



SLOW OAK WHITE

2m - 27027011

3m - 27020011

4m - 27013011



SLOW OAK
NATURAL

2m - 27027008
3m - 27020008
4m - 27013008



Scale 1:2

Scale 1:6

SLOW OAK
BROWN

2m - 27027009
3m - 27020009
4m - 27013009



Scale 1:2

Scale 1:6

CLASSIC 40	ICONIK 450	ICONIK 400	ICONIK 300	ICONIK 280Tex	ICONIK 260Tex	ICONIK 260	ICONIK 240	ICONIK 220Tex	ICONIK 150
---------------	---------------	---------------	---------------	------------------	------------------	---------------	---------------	------------------	---------------

ICONIK 280Tex

SWAN



SWAN
GREGE




GREGE



MEDIUM NATURAL



DARK GREY



2, 3, 4 m



16,5 x 100 cm



100 x 100 cm



2,8 mm



SWAN GREGE

2m - 6750037
3m - 6749037
4m - 6748037



Scale 1:6

Scale 1:2

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

SWAN
MEDIUM NATURAL

2m - 6750036
3m - 6749036
4m - 6748036

Scale 1:2

Scale 1:6

SWAN
DARK GREY

2m - 5591135
3m - 5590135
4m - 5589135

Scale 1:2

Scale 1:6

CLASSIC 40	ICONIK 450	ICONIK 400	ICONIK 300	ICONIK 280Tex	ICONIK 260Tex	ICONIK 260	ICONIK 240	ICONIK 220Tex	ICONIK 150
---------------	---------------	---------------	---------------	------------------	------------------	---------------	---------------	------------------	---------------

ICONIK 280Tex TREND OAK



TREND OAK
LIGHT GREY



TREND OAK
LIGHT GREY

2m - 27027020
3m - 27020020
4m - 27013020

Scale 1:2

Scale 1:6

		2, 3, 4 m
		7 x 28/72 cm
		100 x 100 cm
		2,8 mm

TREND OAK
BEIGE

2m - 5591048
3m - 5590046
4m - 5589050

Scale 1:2

Scale 1:6

ICONIK 280Tex WINTER PINE



WINTER PINE
SAND



WINTER PINE
SMOKE

2m - 27027023
3m - 27020023
4m - 27013023

Scale 1:2

Scale 1:6



WINTER PINE
SAND


2m - 27027022
3m - 27020022
4m - 27013022

Scale 1:2

Scale 1:6

		2, 3, 4 m
		20 x 100 cm
		100 x 100 cm
		2,8 mm

ICONIK 280Tex ALMERIA



		2, 3, 4 m
		20 x 20 cm
		100 x 100 cm
		2,8 mm

*Common design 240 – 280Tex

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 280Tex CONTEMPORARY STONE



CONTEMPORARY STONE
BEIGE



BEIGE



		2, 3, 4 m
		20 x 33 cm
		100 x 100 cm
		2,8 mm

ICONIK 280Tex COTTAGE STONE



COTTAGE STONE
BLACK



		2, 3, 4 m
		17,5 x 17,5 cm
		100 x 100 cm
		2,8 mm

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40


ICONIK 280Tex GRES



GRES
MIDDLE GREY



MIDDLE GREY



2, 3, 4 m

33 x 33 cm



100 x 100 cm



2,8 mm



EXTREME PROTECTION



15 years
GUARANTEE
RESIDENTIAL
USE

GRES
MIDDLE GREY

2m - 5591116
3m - 5590116
4m - 5589116

Scale 1:6

Scale 1:2

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 280Tex MELBOURNE



MELBOURNE
GRIS




GRIS



LIGHT BROWN



NOIR



2, 3, 4 m



50 x 25 cm



100 x 100 cm



2,8 mm



MELBOURNE GRIS

2m - 6750047

3m - 6749047

4m - 6748047



Scale 1:6



Scale 1:2

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

MELBOURNE
LIGHT BROWN


2m - 6750048
3m - 6749048
4m - 6748048



Scale 1:6

MELBOURNE
NOIR

2m - 6750038
3m - 6749038
4m - 6748038



Scale 1:6

CLASSIC 40	ICONIK 450	ICONIK 400	ICONIK 300	ICONIK 280Tex	ICONIK 260Tex	ICONIK 260	ICONIK 240	ICONIK 220Tex	ICONIK 150
---------------	---------------	---------------	---------------	------------------	------------------	---------------	---------------	------------------	---------------

ICONIK 280Tex METON




METON
WARM GREY



WARM GREY



ANTHRACITE



2, 3, 4 m



25 x 33,33 cm



100 x 100 cm



2,8 mm



METON
WARM GREY

2m - 27027063

3m - 27020063

4m - 27013063



Scale 1:6


Scale 1:2

METON
ANTHRACITE

2m - 27027066
3m - 27020066
4m - 27013066




Scale 1:6



ICONIK 280Tex BROKEN SLATE



BROKEN SLATE
ANTHRACITE




BROKEN SLATE
ANTHRACITE

2m - 5591030
3m - 5590028
4m - 5589032

Scale 1:6



ANTHRACITE



2, 3, 4 m



Various



100 x 100 cm



2,8 mm



EXTREME
PROTECTION



15 years
GUARANTEE
RESIDENTIAL
USE

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

NEW

ICONIK 280Tex PIETRA SACRA

This tile flooring is composed of small details and a beautiful colour play, making you want to explore every element of the design.



PIETRA SACRA
LIGHT GREY




LIGHT GREY*



MEDIUM GREY*



GREGE*



2, 3, 4 m



33,33 x 50 cm



100 x 100 cm



2,8 mm



*Common design 240 – 280Tex

PIETRA SACRA LIGHT GREY

2m - 240018014
3m - 240013014
4m - 240008014



Scale 1:6

Scale 1:2

NEW

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

NEW

PIETRA SACRA
MEDIUM GEY

2m - 240018015
3m - 240013015
4m - 240008015



Scale 1:6

Scale 1:2

NEW

PIETRA SACRA
GREGE

2m - 240018016
3m - 240013016
4m - 240008016



Scale 1:6

Scale 1:2

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40


NEW

ICONIK 280Tex ROXFORD

This flooring portrays a traditional laying pattern modernized with a mix of refined concrete and granite.



FRENCH GREY




ROXFORD
FRENCH GREY

2m - 240018141
3m - 240013141
4m - 240008141

Scale 1:2

Scale 1:6



2, 3, 4 m



Mix




100 x 100 cm



2,8 mm



ICONIK 280Tex CATERA



CATERA
MIDDLE GREY




CATERA
GREGE

2m - 5591002
3m - 5590002
4m - 5589002

Scale 1:2

Scale 1:6



2, 3, 4 m



Allover



100 x 100 cm



2,8 mm



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

NEW

ICONIK 280Tex METROPOLITAN

In between a concrete and a classic handmade terrazzo, this design has an all around industrial look with wood influences.




METROPOLITAN
GRAPHITE



IVORY*



GRAPHITE*



2, 3, 4 m



All over



100 x 100 cm



2,8 mm




METROPOLITAN GRAPHITE

2m - 240018013
3m - 240013013
4m - 240008013

Scale 1:6

Scale 1:2



NEW

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

**METROPOLITAN
IVORY**

2m - 240018011
3m - 240013011
4m - 240008011

Scale 1:6



NEW




**ICONIK 280Tex
NERO MARQUINE**



**NERO MARQUINE
ANTHRACITE***

2m - 240018054
3m - 240013054
4m - 240008054

Scale 1:6



2, 3, 4 m



Allover



100 x 200 cm



2,8 mm



**EXTREME
PROTECTION**




**15 years
GUARANTEE
RESIDENTIAL
USE**

*Common design 240 – 280Tex


ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 280Tex KIRUMA



		2, 3, 4 m
		Allover
		100 x 100 cm
		2,8 mm

ICONIK 280Tex ROCK



		2, 3, 4 m
		Allover
		100 x 100 cm
		2,8 mm


*Common design 260 – 260Tex

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40


ICONIK 280Tex STROMBOLI



STROMBOLI
ACIER



ACIER



2, 3, 4 m



Allover



100 x 100 cm



2,8 mm




STROMBOLI ACIER

2m - 6750020

3m - 6749017

4m - 6748017



Scale 1:6

Scale 1:2

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 300 ADMIRAL



ADMIRAL
GREGE




ADMIRAL
GREGE

2m - 6503080
3m - 6530080
4m - 6578080

Scale 1:2

Scale 1:6



ADMIRAL
LIGHT GREY

2m - 6503082
3m - 6530082
4m - 6578082

Scale 1:2

Scale 1:6

ICONIK 300 ANTIK OAK



ANTIK OAK
GREY BEIGE



GREY BEIGE




ANTIK OAK
GREY BEIGE

2m - 5338261
3m - 5264261
4m - 5208261

Scale 1:2

Scale 1:6



ICONIK 300 ARCADIA



ARCADIA
LIGHT BEIGE




ARCADIA
RED BROWN

2m - 5338087
3m - 5264079
4m - 5208108

Scale 1:2

Scale 1:6



ARCADIA
LIGHT BEIGE

2m - 5338086
3m - 5264078
4m - 5208107

Scale 1:2

Scale 1:6

		2, 3, 4 m
		16,6 x 100 cm
		100 x 100 cm
		3,0 mm

EXTREME PROTECTION

10 years GUARANTEE RESIDENTIAL USE

ICONIK 300 AUTHENTIC



AUTHENTIC
WHITE



AUTHENTIC
WHITE

2m - 5338266
3m - 5264266
4m - 5208266

Scale 1:2

Scale 1:6



AUTHENTIC
NATURAL BROWN

2m - 5338267
3m - 5264267
4m - 5208267

Scale 1:2

Scale 1:6

		2, 3, 4 m
		16,6 x 100 cm
		100 x 100 cm
		3,0 mm

EXTREME PROTECTION

10 years GUARANTEE RESIDENTIAL USE

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 300 CITIZEN OAK



CITIZEN OAK
MEDIUM BEIGE




MEDIUM BEIGE



CITIZEN OAK
MEDIUM BEIGE

2m - 240023058
3m - 240022058
4m - 240021058



2, 3, 4 m

16,66 x 133 cm



133 x 200 cm



3,0 mm



ICONIK 300 FARO



FARO
DARK GREY




DARK GREY



FARO
DARK GREY

2m - 5338262
3m - 5264262
4m - 5208262



2, 3, 4 m

11,8/13,3 x 100 cm



100 x 100 cm



3,0 mm



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40


ICONIK 300 FOREST



FOREST
LIGHT GREY



LIGHT GREY



2, 3, 4 m



20 x 145 cm



100 x 100 cm



3,0 mm



FOREST LIGHT GREY

2m - 6503074

3m - 6530074

4m - 6578074



Scale 1:6



ICONIK 300 IDIA



IDIA
BEIGE BROWN



BEIGE BROWN



		2, 3, 4 m
		7,1 cm x multi-lengths
		100 x 100 cm
		3,0 mm

ICONIK 300 MELEZE



MELEZE
WHITE



WHITE



		2, 3, 4 m
		12,5 x 100 cm
		100 x 100 cm
		3,0 mm



ICONIK 300 SHERWOOD




SHERWOOD
BLACK



BLACK



ICONIK 300 SWAN




SWAN
GREY



LIGHT GREGE



GREY



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

SWAN
LIGHT GREGE

2m - 5338281
3m - 5264281
4m - 5208281



Scale 1:6



Scale 1:2

ICONIK 300 FIBER WOOD



FIBER WOOD
GREGE



FIBER WOOD
GREGE

2m - 6503088
3m - 6530088
4m - 6578088

Scale 1:6




Scale 1:2



LIGHT GREGE



GREGE



2, 3, 4 m



Allover



100 x 100 cm



3,0 mm



FIBER WOOD
LIGHT GREY

2m - 6503090
3m - 6530090
4m - 6578090



Scale 1:6

ICONIK 300 MADRAS



MADRAS
GREY



GREY




MADRAS
GREY

2m - 6503075
3m - 6530075
4m - 6578075



Scale 1:6



2, 3, 4 m



Allover



100 x 100cm



3,0 mm



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 300 MAYA




		2, 3, 4 m
		Allover
		100 x 100cm
		3,0 mm

EXTREME PROTECTION

10 years GUARANTEE RESIDENTIAL USE

ICONIK 300 POLISHED CONCRETE



		2, 3, 4 m
		Allover
		100 x 100 cm
		3,0 mm

EXTREME PROTECTION

10 years GUARANTEE RESIDENTIAL USE

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 300 MACADAM



GREEN



MACADAM GREEN

2m - 5331091
3m - 5255126
4m - 5193176


		2, 3, 4 m
		Allover
		100 x 100 cm
		3,0 mm

EXTREME PROTECTION **10 years GUARANTEE RESIDENTIAL USE**

ICONIK 300 PLAYFUL



MULTICOLOR



PLAYFUL MULTICOLOR

2m - 5193191
3m - 5255127
4m - 5331141

		2, 3, 4 m
		Allover
		100 x 100 cm
		3,0 mm

EXTREME PROTECTION **10 years GUARANTEE RESIDENTIAL USE**

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 400 FRENCH OAK



FRENCH OAK
ANTHRACITE



SNOW



LIGHT GREY




COOL GREY



MEDIUM BEIGE



ANTHRACITE



2, 3, 4 m



10 x 100 cm



100 x 100 cm



4,0 mm



FRENCH OAK ANTHRACITE

2m - 5351102

3m - 5274102

4m - 5227102



Scale 1:6

Scale 1:2

**FRENCH OAK
SNOW**

2m - 5351112
3m - 5274112
4m - 5227112

Scale 1:2

Scale 1:6

**FRENCH OAK
LIGHT GREY**

2m - 5351111
3m - 5274111
4m - 5227111

Scale 1:2

Scale 1:6

ICONIK 400 GEA



GEA
DARK BEIGE



DARK BEIGE

**FRENCH OAK
COOL GREY**

2m - 5351110
3m - 5274110
4m - 5227110

Scale 1:2

Scale 1:6

**FRENCH OAK
MEDIUM BEIGE**

2m - 5351113
3m - 5274113
4m - 5227113

Scale 1:2


Scale 1:6

**GEA
DARK BEIGE**

2m - 5351033
3m - 5274034
4m - 5227055

Scale 1:2

Scale 1:6



2, 3, 4 m



11,1 x 100 cm



100 x 100 cm



4,0 mm



ICONIK 400 VALLEY



VALLEY
CHARCOAL




GREY



MID OAK



CHARCOAL



2, 3, 4 m



35,5 x 7,5 cm



100 x 100 cm




4,0 mm



VALLEY CHARCOAL

2m - 5351114
3m - 5274114
4m - 5227114



Scale 1:6

Scale 1:2

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

**VALLEY
GREY**

2m - 5351115
3m - 5274115
4m - 5227115

Scale 1:2

Scale 1:6

**VALLEY
MID OAK**

2m - 5351116
3m - 5274116
4m - 5227116

Scale 1:2

Scale 1:6

ICONIK 400 ALMERIA



ALMERIA
FAWN

**ALMERIA
FAWN**

2m - 5351118
3m - 5274118
4m - 5227118

Scale 1:2


Scale 1:6

**ALMERIA
BLACK**

2m - 5351117
3m - 5274117
4m - 5227117

Scale 1:2

Scale 1:6



2, 3, 4 m



20 x 20 cm



100 x 100 cm



4,0 mm



ICONIK 400 HENNA




HENNA
WHITE




		2, 3, 4 m
		16,5 x 14,2 cm
		100 x 100 cm
		4,0 mm

ICONIK 400 IRON TILE



IRON TILE
LIGHT GREY



		2, 3, 4 m
		33 x 25 cm
		100 x 100 cm
		4,0 mm

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40


ICONIK 400 ROCK



ROCK
GREY BLACK



GREY BLACK



2, 3, 4 m



All over



100 x 100 cm



4,0 mm



ROCK
GREY BLACK

2m - 5351121

3m - 5274121

4m - 5227121

Scale 1:6

Scale 1:2

ICONIK 450

ANCARES HERRINGBONE



ANCARES HERRINGBONE
GREGE



		2, 3, 4 m
		8,8 x 35,5 cm
		100 x 100 cm
		4,5 mm

EXTREME PROTECTION

15 years GUARANTEE RESIDENTIAL USE

ICONIK 450

ARCADIA



ARCADIA
BEIGE



		2, 3, 4 m
		16,66 x 100 cm
		100 x 100 cm
		4,5 mm

EXTREME PROTECTION

15 years GUARANTEE RESIDENTIAL USE

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40


ICONIK 450 AUTHENTIC



AUTHENTIC
BEIGE



BEIGE



2, 3, 4 m



16,66 x 100 cm



100 x 100 cm



4,5 mm



AUTHENTIC BEIGE

2m - 5335067

3m - 5261059

4m - 5203069



Scale 1:6

Scale 1:2

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

ICONIK 450 FRENCH OAK



FRENCH OAK
GREGE




GREGE



MEDIUM BEIGE



ANTHRACITE



2, 3, 4 m



10 x 100 cm



100 x 100 cm



4,5 mm



FRENCH OAK GREGE

2m - 5335107

3m - 5261107

4m - 5203107



Scale 1:6

Scale 1:2

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

FRENCH OAK
MEDIUM BEIGE

2m - 5335087
3m - 5261087
4m - 5203087

Scale 1:2

Scale 1:6

FRENCH OAK
ANTHRACITE

2m - 5335086
3m - 5261086
4m - 5203086

Scale 1:2

Scale 1:6

ICONIK 450

AGREGO



AGREGO
WHITE

AGREGO GREGE

2m - 5335035
3m - 5261034
4m - 5203045

Scale 1:2


Scale 1:6

AGREGO WHITE

2m - 5335061
3m - 5261053
4m - 5203064

Scale 1:2

Scale 1:6



2, 3, 4 m



Allover



100 x 100 cm



4,5 mm



ICONIK 450 GRANITE



GRANITE
GREGE





GRANITE
GREGE

2m - 5335056
3m - 5261048
4m - 5203059

Scale 1:2

Scale 1:6




GRANITE
CARBON

2m - 5335055
3m - 5261047
4m - 5203058

Scale 1:2


Scale 1:6



ICONIK 450 KAOLIN



KAOLIN
LIGHT GREY




KAOLIN
LIGHT GREY

2m - 5335091
3m - 5261091
4m - 5203091

Scale 1:2

Scale 1:6




KAOLIN
DARK GREGE

2m - 5335094
3m - 5261094
4m - 5203094

Scale 1:2

Scale 1:6



ICONIK 450 ZARAGOZA TILE



ZARAGOZA TILE
STONE



INDIGO




STONE



ZARAGOZA TILE
INDIGO

2m - 5335100
3m - 5261100
4m - 5203100

Scale 1:6



2, 3, 4 m



17,5 x 17,5 cm / 45°



100 x 100 cm



4,5 mm



ZARAGOZA TILE
STONE

2m - 5335102
3m - 5261102
4m - 5203102

Scale 1:6

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

CLASSIC 40 APUNARA OAK



APUNARA OAK
NATURAL



NATURAL




APUNARA OAK
NATURAL

2m - 5620051
3m - 5619051
4m - 5618051

Scale 1:6

Scale 1:2



CLASSIC 40 BEECH



BEECH
NATURAL



NATURAL




BEECH
NATURAL

2m - 5620001
3m - 5619001
4m - 5618001


Scale 1:6

Scale 1:2



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

CLASSIC 40 GEA



		2, 3, 4 m
		11,1 x 100 cm
		100 x 100 cm
		4,0 mm

CLASSIC 40 HARMONY OAK



		2, 3, 4 m
		16,6 x 100 cm
		100 x 100 cm
		4,0 mm

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

CLASSIC 40

SOFT ELM



SOFT ELM
AUTHENTIC



AUTHENTIC



CARMEL



SOFT ELM
CARMEL

2m - 240020033
3m - 240015033
4m - 240010033

Scale 1:2

Scale 1:6



2, 3, 4 m



14,25 x 100 cm



100 x 100 cm



4,0 mm



SOFT ELM
AUTHENTIC

2m - 240020034
3m - 240015034
4m - 240010034



Scale 1:6

Scale 1:2

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

NEW

CLASSIC 40 WESTWING OAK

This wood flooring depicts subtle shades between the planks, making it the perfect flooring for a classic yet temporary decoration style.




NATURAL



GREY



BROWN



2, 3, 4 m



10 x 100 cm



100 x 100 cm




4,0 mm



WESTWING OAK BROWN

2m - 240020030
3m - 240015030
4m - 240010030



Scale 1:6

Scale 1:2

NEW

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

WESTWING OAK
NATURAL

2m - 240020031
3m - 240015031
4m - 240010031

NEW

Scale 1:2

Scale 1:6

WESTWING OAK
GREY

2m - 240020032
3m - 240015032
4m - 240010032

NEW

Scale 1:2

Scale 1:6


CLASSIC 40 MODA



GREY BEIGE




GREY



ANTHRACITE



BLACK



2, 3, 4 m



Allover



Allover



4,0 mm



MODA
ANTHRACITE

2m - 5719001

3m - 5715001

4m - 5708001

Scale 1:6



Scale 1:2

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

MODA
GREY BEIGE

2m - 5719016
3m - 5715016
4m - 5708016

Scale 1:2

Scale 1:6

MODA
GREY

2m - 5719004
3m - 5715004
4m - 5708004

Scale 1:2

Scale 1:6

CLASSIC 40 ROCK



ROCK
GREY BLACK



GREY BLACK

MODA
BLACK

2m - 5719011
3m - 5715011
4m - 5708011

Scale 1:2


Scale 1:6

ROCK
GREY BLACK

2m - 5620020
3m - 5619020
4m - 5618020

Scale 1:2

Scale 1:6



2, 3, 4 m



All over



100 x 100 cm



4,0 mm



NEW

CLASSIC 40 TENDENZA

This flooring comes in our bestselling gray colours and contemporary concrete design.



TENDENZA
LIGHT GREY




LIGHT GREY



COOL GREY



DARK GREY



2, 3, 4 m



Allover



200 x 100 cm



4,0 mm



TENDENZA LIGHT GREY

- 2m - 240020025
- 3m - 240015025
- 4m - 240010025

Scale 1:6

Scale 1:2

NEW

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

TENDENZA
COOL GREY

2m - 240020024
3m - 240015024
4m - 240010024

NEW

Scale 1:6



TENDENZA
DARK GREY

2m - 240020026
3m - 240015026
4m - 240010026

NEW

Scale 1:6



CLASSIC 40


MODERN SILVER



MODERN SILVER
WHITE GOLD




GREY



BLUE



WHITE GOLD



2, 3, 4 m



All over



All over



4,0 mm



MODERN SILVER WHITE GOLD

2m - 5719022

3m - 5715022

4m - 5708022



Scale 1:6

ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

MODERN SILVER
GREY

2m - 5719020
3m - 5715020
4m - 5708020

Scale 1:6



MODERN SILVER
BLUE

2m - 5719021
3m - 5715021
4m - 5708021

Scale 1:6



ICONIK 150
ICONIK 220Tex
ICONIK 240
ICONIK 260
ICONIK 260Tex
ICONIK 280Tex
ICONIK 300
ICONIK 400
ICONIK 450
CLASSIC 40

Iconik 150

Datasheet

Classification	Norm	Tarkett Value
Product type	EN ISO 26986	Expanded (cushioned) poly(vinyl chloride) floor covering
Domestic classification	EN ISO 10874	21 Moderate/Light
Binder content	ISO 11638	Type I
Technical Characteristics	Norm	Tarkett Value
Total thickness	ISO 24346	1,50 mm
Wear layer thickness	ISO 24340	0,15 mm
Total weight	ISO 23997	1100 g/m ²
Performance for CE Marking	Norm	Tarkett Value
Declaration of Performance #	EN 14041	0007-0027-DOP-2022-03
Reaction to fire	EN 13501-1	Cfl-s1
Slip resistance	EN 13893	Class DS ($\mu \geq 0,50$)
Slip resistance	DIN 51130	R 9 / R 10 (depending on surface structure)
Static Electrical Propensity	EN 1815	Antistatic (≤ 2 kV)
Thermal resistance	ISO 10456	0,020 m ² ·K/W
Formaldehyde Emission	EN 717-1	E1
Technical Performance	Norm	Tarkett Value
Dimensional stability	EN ISO 23999	< 0,15 %
Impact sound reduction - ΔLw	EN ISO 717-2	12 dB
Colour fastness to light	ISO 105-B02	≥ 6
Chemical resistance	ISO 26987	Not affected
Underfloor heating		Suitable (maximum 27°C)
Residual indentation	EN ISO 24343-1	Required value: $\leq 0,35$ mm
Sustainability performances	Norm	Tarkett Value
Total VOC Emissions	EN 16516	Gold ($\leq 100 \mu\text{g} / \text{m}^3$)
Recyclability through ReStart®*		Recyclable
Recycled content		≤ 27 %
Dimensions**		
Roll		Roll 2 x 30 m Roll 2 x 35 m Roll 3 x 30 m Roll 3 x 35 m Roll 4 x 30 m Roll 4 x 35 m



The above information is subject to modification for the benefit of further improvement (11/2022). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website <https://www.tarkett.com>. Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for the instructions.

*Terms of registration may vary per country. Contact your local Tarkett sales offices to find out how to register for ReStart® in your country.

** Dimensions may vary according to the design.



Iconik 220Tex

Datasheet

Classification	Norm	Tarkett Value
Product type	EN ISO 26986	Expanded (cushioned) poly(vinyl chloride) floor covering
Domestic classification	EN ISO 10874	23 Heavy
Commercial classification	EN ISO 10874	31 General
Binder content	ISO 11638	Type I
Technical Characteristics	Norm	Tarkett Value
Total thickness	ISO 24346	2,20 mm
Wear layer thickness	ISO 24340	0,25 mm
Total weight	ISO 23997	1480 g/m ²
Performance for CE Marking	Norm	Tarkett Value
Declaration of Performance #	EN 14041	0007-0019-DOP-2020-01
Reaction to fire	EN 13501-1	Cfl-s1
Slip resistance	EN 13893	Class DS ($\mu \geq 0,30$)
Slip resistance	DIN 51130	R 10
Static Electrical Propensity	EN 1815	Antistatic (≤ 2 kV)
Thermal resistance	ISO 10456	0,030 m ² ·K/W
Formaldehyde Emission	EN 717-1	E1
Technical Performance	Norm	Tarkett Value
Dimensional stability	EN ISO 23999	$\leq 0,20$ %
Impact sound reduction - ΔLw	EN ISO 717-2	16 dB
Colour fastness to light	ISO 105-B02	≥ 6
Chemical resistance	ISO 26987	Not affected
Underfloor heating		Suitable (maximum 27°C)
Residual indentation	EN ISO 24343-1	Required value: $\leq 0,20$ mm
Sustainability performances	Norm	Tarkett Value
Total VOC Emissions	EN 16516	Gold ($\leq 100 \mu\text{g} / \text{m}^3$)
Recycled content		≤ 27 %
Dimensions**		
Roll		Roll 2 x 25 m Roll 3 x 25 m Roll 4 x 25 m



The above information is subject to modification for the benefit of further improvement (11/2022). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website <https://www.tarkett.com>. Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for the instructions.

*Terms of registration may vary per country. Contact your local Tarkett sales offices to find out how to register for ReStart® in your country.

** Dimensions may vary according to the design.



Iconik 240

Datasheet

Classification	Norm	Tarkett Value
Product type	EN ISO 26986	Expanded (cushioned) poly(vinyl chloride) floor covering
Domestic classification	EN ISO 10874	23 Heavy
Commercial classification	EN ISO 10874	32 General
Industrial classification	EN ISO 10874	41 Moderate
Binder content	ISO 11638	Type I
Technical Characteristics	Norm	Tarkett Value
Total thickness	ISO 24346	2,40 mm
Wear layer thickness	ISO 24340	0,35 mm
Total weight	ISO 23997	1580 g/m ²
Performance for CE Marking	Norm	Tarkett Value
Declaration of Performance #	EN 14041	0007-0023-DOP-2022-03
Reaction to fire	EN 13501-1	Cfl-s1
Slip resistance	EN 13893	Class DS ($\mu \geq 0,50$)
Slip resistance	DIN 51130	R 10
Static Electrical Propensity	EN 1815	Antistatic (≤ 2 kV)
Thermal resistance	ISO 10456	0,030 m ² ·K/W
Formaldehyde Emission	EN 717-1	E1
Technical Performance	Norm	Tarkett Value
Dimensional stability	EN ISO 23999	$\leq 0,15$ %
Castor chair	ISO 4918	No damage
Impact sound reduction - ΔLw	EN ISO 717-2	16 dB
Colour fastness to light	ISO 105-B02	≥ 6
Chemical resistance	ISO 26987	Not affected
Underfloor heating		Suitable (maximum 27°C)
Residual indentation	EN ISO 24343-1	Required value: $\leq 0,20$ mm
Sustainability performances	Norm	Tarkett Value
Total VOC Emissions	EN 16516	Gold (≤ 100 $\mu\text{g} / \text{m}^3$)
Recyclability through ReStart®*		Recyclable
Recycled content		≤ 27 %
Dimensions**		
Roll		Roll 2 x 25 m Roll 3 x 25 m Roll 4 x 25 m



The above information is subject to modification for the benefit of further improvement (11/2022). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website <https://www.tarkett.com>. Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for the instructions.

*Terms of registration may vary per country. Contact your local Tarkett sales offices to find out how to register for ReStart® in your country.

** Dimensions may vary according to the design.



Iconik 260

Datasheet

Classification	Norm	Tarkett Value
Product type	EN ISO 26986	Expanded (cushioned) poly(vinyl chloride) floor covering
Domestic classification	EN ISO 10874	22 / 22+ Domestic general medium / Domestic general
Technical Characteristics	Norm	Tarkett Value
Total thickness	ISO 24346	2,60 mm
Wear layer thickness	ISO 24340	0,22 mm
Total weight	ISO 23997	1475 g/m ²
Performance for CE Marking	Norm	Tarkett Value
Declaration of Performance #	EN 14041	0007-0075-DOP-2022-03
Brandverhalten	EN 13501-1	Cfl-s1
Slip resistance	EN 13893	Class DS ($\mu \geq 0,30$)
Slip resistance	DIN 51130	R9 / R10 depending on the the structure
Static Electrical Propensity	EN 1815	Antistatic (≤ 2 kV)
Thermal resistance	ISO 10456	0,040 m ² ·K/W
Formaldehyde Emission	EN 717-1	E1
Technical Performance	Norm	Tarkett Value
Dimensional stability	EN ISO 23999	$\leq 0,15$ %
Impact sound reduction - ΔLw	EN ISO 717-2	20 dB
Colour fastness to light	ISO 105-B02	≥ 6
Chemical resistance	ISO 26987	Not affected
Underfloor heating		Suitable (maximum 27°C)
Residual indentation	EN ISO 24343-1	Required value: $\leq 0,35$ mm
Sustainability performances	Norm	Tarkett Value
Total VOC Emissions	EN 16516	Gold (≤ 100 $\mu\text{g} / \text{m}^3$)
Recyclability through ReStart®*		Recyclable
Recycled content		≤ 27 %
Dimensions**		
Roll		Roll 2 x 30 m Roll 3 x 30 m Roll 4 x 30 m



The above information is subject to modification for the benefit of further improvement (11/2022). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website <https://www.tarkett.com>. Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for the instructions.

*Terms of registration may vary per country. Contact your local Tarkett sales offices to find out how to register for ReStart® in your country.

** Dimensions may vary according to the design.



Iconik 260Tex

Datasheet

Classification	Norm	Tarkett Value
Product type	EN ISO 26986	Expanded (cushioned) poly(vinyl chloride) floor covering
Domestic classification	EN ISO 10874	22 / 22+ Domestic general medium / Domestic general
Binder content	ISO 11638	Type I
Technical Characteristics	Norm	Tarkett Value
Total thickness	ISO 24346	2,60 mm
Wear layer thickness	ISO 24340	0,20 mm
Total weight	ISO 23997	1530 g/m ²
Performance for CE Marking	Norm	Tarkett Value
Declaration of Performance #	EN 14041	0007-0051-DOP-2022-03
Reaction to fire	EN 13501-1	Cfl-s1
Slip resistance	EN 13893	Class DS ($\mu \geq 0,50$)
Slip resistance	DIN 51130	R 10
Static Electrical Propensity	EN 1815	Antistatic (≤ 2 kV)
Thermal resistance	ISO 10456	0,030 m ² ·K/W
Formaldehyde Emission	EN 717-1	E1
Technical Performance	Norm	Tarkett Value
Dimensional stability	EN ISO 23999	$\leq 0,15$ %
Impact sound reduction - ΔLw	EN ISO 717-2	18 dB
Colour fastness to light	ISO 105-B02	≥ 6
Chemical resistance	ISO 26987	Not affected
Underfloor heating		Suitable (maximum 27°C)
Residual indentation	EN ISO 24343-1	$\leq 0,35$ mm
Sustainability performances	Norm	Tarkett Value
Total VOC Emissions	EN 16516	Gold (≤ 100 $\mu\text{g} / \text{m}^3$)
Recycled content		≤ 27 %
Dimensions**		
Roll		Roll 2 x 25 m Roll 3 x 25 m Roll 4 x 25 m

Iconik 280Tex

Datasheet

Classification	Norm	Tarkett Value
Product type	EN ISO 26986	Expanded (cushioned) poly(vinyl chloride) floor covering
Domestic classification	EN ISO 10874	23 Heavy
Commercial classification	EN ISO 10874	32 General
Industrial classification	EN ISO 10874	41 Moderate
Binder content	ISO 11638	Type I
Technical Characteristics	Norm	Tarkett Value
Total thickness	ISO 24346	2,80 mm
Wear layer thickness	ISO 24340	0,35 mm
Total weight	ISO 23997	1760 g/m ²
Performance for CE Marking	Norm	Tarkett Value
Declaration of Performance #	EN 14041	0007-0016-DOP-2022-03
Reaction to fire	EN 13501-1	Cfl-s1
Slip resistance	EN 13893	Class DS ($\mu \geq 0,50$)
Slip resistance	DIN 51130	R 10
Static Electrical Propensity	EN 1815	Antistatic (≤ 2 kV)
Thermal resistance	ISO 10456	0,030 m ² ·K/W
Formaldehyde Emission	EN 717-1	E1
Technical Performance	Norm	Tarkett Value
Dimensional stability	EN ISO 23999	$\leq 0,15$ %
Castor chair	ISO 4918	No damage
Impact sound reduction - ΔLw	EN ISO 717-2	19 dB
Colour fastness to light	ISO 105-B02	≥ 6
Chemical resistance	ISO 26987	Not affected
Underfloor heating		Suitable (maximum 27°C)
Residual indentation	EN ISO 24343-1	Required value: $\leq 0,20$ mm
Sustainability performances	Norm	Tarkett Value
Total VOC Emissions	EN 16516	Gold (≤ 100 $\mu\text{g} / \text{m}^3$)
Recycled content		≤ 27 %
Dimensions**		
Roll		Roll 2 x 20 m Roll 2 x 25 m Roll 3 x 20 m Roll 3 x 25 m Roll 4 x 20 m Roll 4 x 25 m



The above information is subject to modification for the benefit of further improvement (11/2022). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website <https://www.tarkett.com>. Tarkett's instructions regarding installation, cleaning and maintenance should be observed.

Please contact Tarkett at the address shown for the instructions.

*Terms of registration may vary per country. Contact your local Tarkett sales offices to find out how to register for ReStart® in your country.

** Dimensions may vary according to the design.



The above information is subject to modification for the benefit of further improvement (11/2022). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website <https://www.tarkett.com>. Tarkett's instructions regarding installation, cleaning and maintenance should be observed.

Please contact Tarkett at the address shown for the instructions.

*Terms of registration may vary per country. Contact your local Tarkett sales offices to find out how to register for ReStart® in your country.

** Dimensions may vary according to the design.

Iconik 300

Datasheet

Classification	Norm	Tarkett Value
Product type	EN ISO 26986	Expanded (cushioned) poly(vinyl chloride) floor covering
Domestic classification	EN ISO 10874	23 Heavy
Commercial classification	EN ISO 10874	31 Moderate
Technical Characteristics	Norm	Tarkett Value
Total thickness	ISO 24346	3 mm
Wear layer thickness	ISO 24340	0,25 mm
Total weight	ISO 23997	1840 g/m ²
Performance for CE Marking	Norm	Tarkett Value
Declaration of Performance #	EN 14041	0007-0002-DOP-2022-03
Reaction to fire	EN 13501-1	Cfl-s1
Slip resistance	EN 13893	Class DS ($\mu \geq 0,30$)
Slip resistance	DIN 51130	R 10
Static Electrical Propensity	EN 1815	Antistatic (< 2 kV)
Thermal resistance	ISO 10456	0,040 m ² ·K/W
Formaldehyde Emission	EN 717-1	E1
Technical Performance	Norm	Tarkett Value
Dimensional stability	EN ISO 23999	≤ 0,15 %
Impact sound reduction - ΔLw	EN ISO 717-2	20 dB
Colour fastness to light	ISO 105-B02	≥ 6
Chemical resistance	ISO 26987	Not affected
Underfloor heating		Suitable (maximum 27°C)
Residual indentation	EN ISO 24343-1	Required value: ≤ 0,25 mm
Sustainability performances	Norm	Tarkett Value
Total VOC Emissions	EN 16516	Gold (≤ 100 µg / m ³)
Recyclability through ReStart®*		Recyclable
Recycled content		≤ 27 %
Dimensions**		
Roll		Roll 2 x 25 m Roll 3 x 25 m Roll 4 x 25 m

Iconik 400

Datasheet

Classification	Norm	Tarkett Value
Product type	EN ISO 26986	Expanded (cushioned) poly(vinyl chloride) floor covering
Domestic classification	EN ISO 10874	23 Heavy
Commercial classification	EN ISO 10874	31 Moderate
Binder content	ISO 11638	Type I
Technical Characteristics	Norm	Tarkett Value
Total thickness	ISO 24346	4 mm
Wear layer thickness	ISO 24340	0,25 mm
Total weight	ISO 23997	2000 g/m ²
Performance for CE Marking	Norm	Tarkett Value
Declaration of Performance #	EN 14041	0007-0005-DoP-2020-01
Reaction to fire	EN 13501-1	Cfl-s1
Slip resistance	EN 13893	Class DS ($\mu \geq 0,30$)
Slip resistance	DIN 51130	R 10
Static Electrical Propensity	EN 1815	Antistatic (< 2 kV)
Thermal resistance	ISO 10456	0,060 m ² ·K/W
Formaldehyde Emission	EN 717-1	E1
Technical Performance	Norm	Tarkett Value
Dimensional stability	EN ISO 23999	≤ 0,20 %
Impact sound reduction - ΔLw	EN ISO 717-2	21 dB
Colour fastness to light	ISO 105-B02	≥ 6
Chemical resistance	ISO 26987	Not affected
Underfloor heating		Suitable (maximum 27°C)
Residual indentation	EN ISO 24343-1	Required value: ≤ 0,35 mm
Sustainability performances	Norm	Tarkett Value
Total VOC Emissions	EN 16516	Gold (≤ 100 µg / m ³)
Recyclability through ReStart®*		Recyclable
Recycled content		≤ 27 %
Dimensions**		
Roll		Roll 2 x 24 m Roll 3 x 24 m Roll 4 x 24 m



The above information is subject to modification for the benefit of further improvement (11/2022). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website <https://www.tarkett.com>. Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for the instructions.

*Terms of registration may vary per country. Contact your local Tarkett sales offices to find out how to register for ReStart® in your country.

** Dimensions may vary according to the design.



The above information is subject to modification for the benefit of further improvement (11/2022). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website <https://www.tarkett.com>. Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for the instructions.

*Terms of registration may vary per country. Contact your local Tarkett sales offices to find out how to register for ReStart® in your country.

** Dimensions may vary according to the design.

Iconik 450

Datasheet

Classification	Norm	Tarkett Value
Product type	EN ISO 26986	Expanded (cushioned) poly(vinyl chloride) floor covering
Domestic classification	EN ISO 10874	23 Heavy
Commercial classification	EN ISO 10874	31 Moderate
Binder content	ISO 11638	Type I
Technical Characteristics	Norm	Tarkett Value
Total thickness	ISO 24346	4,50 mm
Wear layer thickness	ISO 24340	0,30 mm
Total weight	ISO 23997	3000 g/m ²
Performance for CE Marking	Norm	Tarkett Value
Declaration of Performance #	EN 14041	0131-0009-DoP-2020-01
Reaction to fire	EN 13501-1	Cfl-s1
Slip resistance	EN 13893	Class DS ($\mu \geq 0,30$)
Slip resistance	DIN 51130	R 10
Static Electrical Propensity	EN 1815	Antistatic (< 2 kV)
Thermal resistance	ISO 10456	0,070 m ² ·K/W
Formaldehyde Emission	EN 717-1	E1
Technical Performance	Norm	Tarkett Value
Dimensional stability	EN ISO 23999	$\leq 0,20$ %
Impact sound reduction - ΔLw	EN ISO 717-2	20 dB
Colour fastness to light	ISO 105-B02	≥ 6
Chemical resistance	ISO 26987	Not affected
Underfloor heating		Suitable (maximum 27°C)
Residual indentation	EN ISO 24343-1	Required value: $\leq 0,35$ mm
Sustainability performances	Norm	Tarkett Value
Total VOC Emissions	EN 16516	Gold ($\leq 100 \mu\text{g} / \text{m}^3$)
Recyclability through ReStart®*		Recyclable
Recycled content		≤ 27 %
Dimensions**		
Roll		Roll 2 x 19 m Roll 3 x 19 m Roll 4 x 19 m



The above information is subject to modification for the benefit of further improvement (11/2022). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website <https://www.tarkett.com>. Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for the instructions.

*Terms of registration may vary per country. Contact your local Tarkett sales offices to find out how to register for ReStart® in your country.

** Dimensions may vary according to the design.

Classic 40

Datasheet

Classification	Norm	Tarkett Value
Product type	ISO 10582	Heterogeneous poly(vinyl chloride) floor coverings
Domestic classification	EN ISO 10874	23 Heavy
Commercial classification	EN ISO 10874	32 General
Industrial classification	EN ISO 10874	41 Moderate
Binder content	ISO 10582	Type I
Technical Characteristics	Norm	Tarkett Value
Wear layer thickness	EN ISO 24340	0,40 mm
Total thickness	EN ISO 24346	2 mm
Total weight	EN ISO 23997	2150 g/m ²
Surface treatment		TopClean
Installation method		Glue-Down
Performance for CE Marking	Norm	Tarkett Value
Declaration of Performance #	EN 14041	0131-0005-DOP-2018-10
Reaction to fire	EN 13501-1	Cfl-s1
Static Electrical Propensity	EN 1815	Antistatic (≤ 2 kV)
Thermal resistance	EN ISO 10456	0,020 m ² ·K/W
Slip resistance	EN 13893	Class DS ($\mu \geq 0,30$)
Technical Performance	Norm	Tarkett Value
Residual indentation	EN ISO 24343-1	Required value: $\leq 0,10$ mm
Dimensional stability	EN ISO 23999	$\leq 0,40$ %
Impact sound reduction - ΔLw	EN ISO 717-2	13 dB
Reduction of in-room impact noise	NF S31-074	Class B (≤ 75 dB)
Slip resistance	DIN 51130	R10
Furniture leg	EN ISO 16581	No damage
Castor chair	EN ISO 4918	No damage
Curl resultant to heat	EN ISO 23999	$\leq 8 $ mm
Colour fastness to light	EN ISO 105-B02	≥ 6
Chemical resistance	EN ISO 26987	Not affected
Underfloor heating		Suitable (maximum 27°C)
Sustainability performances	Norm	Tarkett Value
Total VOC Emissions	EN 16516	Gold ($\leq 100 \mu\text{g} / \text{m}^3$)
Recyclability through ReStart®*		Recyclable
Recycled content		≤ 27 %
Dimensions**		
Roll		Roll 2 x 25 m Roll 3 x 25 m Roll 4 x 25 m



The above information is subject to modification for the benefit of further improvement (11/2022). According to the European Regulation N°305/2011 for CE Marking, the Declarations of Performance are available on our website <https://www.tarkett.com>. Tarkett's instructions regarding installation, cleaning and maintenance should be observed. Please contact Tarkett at the address shown for the instructions.

*Terms of registration may vary per country. Contact your local Tarkett sales offices to find out how to register for ReStart® in your country.

** Dimensions may vary according to the design.

THE RIGHT ACCESSORIES FOR INSTALLATION AND FINISHING

SPRAY ADHESIVE

TARKOSPRAY

Spray acrylic adhesive for rolls.

Key features:

- Easy installation: spray and lay, no tools required
- Quick solution: installation 70% faster
- Eco-friendly: non toxic, 0 CFC, non flammable, easy removal at end of life

Packaging: 1 box = 12 bottles, 1 bottle = 12m²

References

GB/FR/DE/NL/PL: 1460 003

GB/SW/SPA/IT/PT: 460 008



SELF-ADHESIVE DECORATIVE SKIRTINGS

SEMI-RIGID SKIRTING-KS61

Self-adhesive semi-rigid skirting for decorative use with upper and lower soft lips.

Key features:

- Smooth surface
- Easy installation: semi-rigid and self-adhesive structure
- Easy cleaning and maintenance

Size: 60 mm high x 15 mm thick lower lip x 2500 mm long


References

■ Medium Grey - 206009007

■ Light Grey - 206009009

■ Very Light Grey - 206009010

■ Dark Brown - 206009014



STAIRS NOSING

SELF-ADHESIVE STAIR NOSING-MSN24SA

Self-adhesive decorative stairnose, made of aluminium with ribs.

Long riser fitted over covered stairs alongside platforms such as stands and podium.


Key features:

- Ribbed surface for slip-resistance
- Quick and easy installation: self-adhesive surface
- Elegant visual finish

Size: 20 mm high x 24,5 mm wide x 2 mm thick x 2700 mm long

Reference

■ Silver - 1434 001



ALMERIA - NATURAL
SKANE HERRINGBONE - BROWN



■ **WESTERN EUROPE:** Austria: Tarkett Holding GmbH, Niederlassung Wien - Tel. +43 1 47 88 062 ■ **Belgium:** Tarkett Belux Sprl - Tel. +32 52 26 24 11 ■ **Denmark:** Tarkett A/S - Tel. +45 43 90 60 11 ■ **Finland:** Tarkett Oy - Tel. +358 9 4257 9000 ■ **France:** Tarkett SAS - Tel. +33 1 41 20 42 49 ■ **Germany:** Tarkett Holding GmbH - Tel. +49 62 33 810 ■ **Greece:** Tarkett Monoprosopi Ltd - Tel. +30 210 6745 340 ■ **Italy:** Tarkett S.p.A. - Tel. +39 0744 7551 ■ **Luxembourg:** Tarkett GDL SA - Tel. +352 949 211 8804 ■ **Netherlands:** Tarkett BV - Tel. +31 416 685 491 ■ **Norway:** Tarkett AS - Tel. +47 32 20 92 00 ■ **Portugal:** Tarkett SA - Tel. +351 21 427 64 20 ■ **Spain:** Tarkett Floors S.L - Tel. +34 914 951 400 ■ **Sweden:** Tarkett Sverige AB - Tel. +46 771 25 19 00 ■ **Switzerland:** Tarkett Holding GmbH - Tel. +41 043 233 79 24 ■ **Turkey:** Tarkett Aspen - Tel. +90 212 213 65 80 ■ **United Kingdom:** Tarkett Ltd - Tel. +44 (0) 1622 854 040 ■ **EASTERN EUROPE:** **Baltic Countries:** Estonia: +372 55 515880 ■ Latvia: +371 26 112014 ■ Lithuania: +370 37 262220 ■ **Czech Republic:** Tarkett org. složka - Tel: +420 271 001 600 ■ **Hungary:** Tarkett Polska SP Z.O.O. magyarországi fióktelepe - Tel. +36 1 437 8150 ■ **Poland:** Tarkett Polska Sp. z o. o. - Tel. +48 22 16 09 231 ■ **Russian Federation:** ZAO Tarkett RUS - Tel. +7 495 775 3737 ■ **Slovakia:** Tarkett Polska, organizačná zložka - Tel. +421 2 48291 317 ■ **South East Europe:** Tarkett SEE - Tel. +381 21 7557 649 (44) 569 12 21 ■ **Ukraine:** Tarkett UA - Tel: +38 (0) 44 35 45 621 ■ **ASIA AND OCEANIA:** **Australia:** Tarkett Australia Pty Ltd - Tel. +61 2 88 53 12 00 ■ **China:** Tarkett Floor Covering (Shanghai) Co. Ltd. - Tel. +86 (21) 60 95 68 38 ext 841 ■ **North East Asia:** Tarkett Hong Kong Limited - Tel. +852 2511 8716 ■ **India:** Tarkett Flooring India Pvt. Ltd. - Bangalore - Tel. +91 80 4130 3793 - New Delhi - Tel. +91 11 4352 4073 - Mumbai - Tel. +91 22 2648 8750 ■ **South East Asia:** Tarkett Flooring Singapore Pte. Ltd. - Tel: +65 6346 1585 ■ **AFRICA:** Tarkett International: Tel. +33 1 41 20 41 01 ■ **MIDDLE EAST:** Tarkett Middle East: Tel. +961 1 51 3363/4 ■ **Israel:** Tarkett International: Tel. +33 1 41 20 41 01 ■ **NORTH AMERICA:** **USA:** Tarkett Inc. - Tel. +1 713 869 5811 / Johnsonite - Tel. +1 440 543 8916 ■ **Canada:** Tarkett Inc. - Tel. +1 450 293 173 ■ **LATIN AMERICA:** **Brazil:** Tarkett Brasil: Tel. 55 12 3954 7108 ■ **Argentina - Chile - Uruguay:** Tarkett Mercosur - Tel. +54 11 47 08 07 72 / +54 9 11 44 46 88 82 ■ **Bolivia - Colombia - Ecuador - Panama - Paraguay - Peru - Trinidad and Tobago - Venezuela:** Tarkett Latam - Tel. +55 11 9 8410 9310 / +55 11 95494 0069 ■ **Mexico /Central America:** Tarkett Mexico - Tel. +55 11 98410 9310

UK CA The designs and photos used in this brochure are for illustration purposes only. They are not contractual images and do not stand for product recommendation. Due to evolution of standards, characteristics indicated in the text and images in this document are not binding only after confirmation by our departments.

Design: Agence Gecko / Photos & 3D : Philippe Garcia, EVO, Studio des Plantes, Getty Images / Print: Peprint

