



## SUSTAINABILITY ATTRIBUTES

Circular Economy and Climate Change



A Content

Good Materials




Indoor Air Quality





This product's installation waste is recyclable in our recycling centres LCA Information above is based on the product's Environmental Product Declaration (EPD) EPD Number: S-P-08634 EPD comparison should be conducted by experts only

## LIFE CYCLE ASSESSMENT



Product life span = 25 years



## **CONTRIBUTION TO GREEN BUILDING CERTIFICATIONS**

### BREEAM INTERNATIONAL NEW CONSTRUCTION 2016

# BREEAM®

CERTIFICATION CRITERIA	CERTIFICATION REQUIREMENTS	THE TARKETT RESPONSE
HEA 01 - Visual Comfort	Best practices in daylighting and artificial lighting design No specific requirement at product level	VISUAL COMFORT
HEA 02 - Indoor Air Quality	TVOC at 28 days ≤ 1000 μg/m3 and Formaldehyde at 28 days ≤ 60 μg/m3	STIDug/m optimal indoor AIR QUALITY
MAT 01 - Life Cycle Impacts	EPDs available	EPD®
MAT 03 - Responsible Sourcing of Construction Products	ISO 14001 certified	ISO 14001
MAT 06 - Material Efficiency	Ingredients verified by a third party or Product composed of recycled content	Up to 15% RECYCLED CONTENT
WST 01 - Waste Management	Avoid sending waste to landfill No specific requirement at product level	RECYCLABLE
WST 06 - Functional Adaptability	Encourage building adaptability No specific requirement at product level	MODULAR PRODUCTS GLUE FREE INSTALLATION



EED v4.1 Building Design and Construction		USGBC .
CERTIFICATION CRITERIA	CERTIFICATION REQUIREMENTS	THE TARKETT RESPONSE
MR - Environmental Product Declarations	EPDs available	EPD®
MR - Sourcing of Raw Materials	Signatory of the UN Global Compact or Product composed of recycled content or Recyclable at end-of-life or Bio-sourced materials	WE SUPPORT
MR - Construction and Demolition Waste Management	Avoid sending waste to landfill No specific requirement at product level	RECYCLABLE Ready
EQ - Low Emitting Materials and Indoor Air Quality Assessment	TVOC at 28 days ≤ 1000 µg/m3 and Formaldehyde at 28 days ≤ 10 µg/m3 Decrease the concentration of particles in the air	≤10µg/m <sup>°</sup> OPTIMALINDOOR AIR QUALITY COWPORT
EQ - Interior Lighting and Daylight	Best practices in daylighting and artificial lighting design No specific requirement at product level	VISUAL

WELL BUILDING STANDARD v2			WELL
CERTIFICATION CRITERIA	CERTIFICATION REQUIREMENTS	THE TARKETT RESPONSE	
L02 - Visual Lighting Design and L 06 - Daylight Simulation	Best practices in daylighthing and artificial lighting design No specific requirement at product level		VISUAL
S07 - Impact Noise Management	Best practices in impact noise reduction- No specific requirement at product level		GdB REDUCTION
X06 - VOC Restrictions	TVOC at 28 days ≤ 1000 μg/m3 and Formaldehyde at 28 days ≤ 124 μg/m3 (E1)	STO µg/m <sup>3</sup> OPTIMAL IMPOOR AIR QUALITY	<10µg/m <sup>3</sup> LOW FORMALDEHYDE EMISSIONS



U.S. 6A

## **CONTRIBUTION TO GREEN BUILDING CERTIFICATIONS**

SKA RATING OFFICES 1.2			<b>SKA</b> rating*
CERTIFICATION CRITERIA	CERTIFICATION REQUIREMENTS	THE TARKETT RESPONSE	
Soft flooring	Recycled content > 50% or Renewable or natural content > 50% or Cradle to Cradle® certification at silver level or higher or EPDs available		EPD®
Reduce floor finishes sent to landfill	Avoid sending waste to landfill No specific requirement at product level	RECYCLABLE	Ready
Low VOC finishes	TVOC at 28 days ≤ 100 µg/m3 and Formaldehyde at 28 days ≤ 10 µg/m3 or Ingredient disclosure	STIDug/m STIDug/m OPTIMAL INDOOR AIR QUALITY	<10µg/m <sup>3</sup> Low FormALDEHYDE EMISSIONS
Daylighting	Best practices in daylighting design No specific requirement at product level		VISUAL COMFORT

DGNB

DGNB System - New buildings Version 2020 International		DGNB	
CERTIFICATION CRITERIA	CERTIFICATION REQUIREMENTS	THE TARKETT RESPONSE	
ENV1.1 - Building Life Cycle Assessment	EPDs available	EPD®	
ENV1.3 - Sustainable Resource Extraction	Product composed of open-loop or post-consumer recycled content	UP 15% RECVILED CONTENT	
ECO2.1 - Flexibility and Adaptability	Products that can be easily removed No specific requirement at product level	GLUE FREE INSTALLATION PRODUCTS	
SOC1.2 - Indoor Air Quality	Indoor air quality measurement after construction work No specific requirement at product level	STIDµg/m OPTIMAL INDOOR AIR QUALITY STIDUE LOW FORMALDENYDE EMISSIONS	
SOC1.3 - Acoustic Comfort	Best practices in impact noise reduction- No specific requirement at product level	Sddb REDUCTION	
SOC1.4 - Visual Comfort	Best practices in daylighting and artificial lighting design No specific requirement at product level	VISUAL	
TEC1.6 - Ease of Recovering and Recycling	Efficient use of resources	RECYCLABLE Ready	



HQE BÂTIMENT DURABLE v4			CEATIFIC PAR CERTINE?
CERTIFICATION CRITERIA	CERTIFICATION REQUIREMENTS	THE TARKETT RESPONSE	
Qualité de l'air intérieur	Mesure de polluants dans l'air après travaux	STDug/m <sup>3</sup> OPTIMAL INDOOR AIR QUALITY	<10µg/m <sup>3</sup> Low FORMALDEHYDE EMISSIONS
Confort Acoustique	Bonnes pratiques sur l'acoustique au sein d'une pièce et entre pièces Pas d'exigence spécifique au niveau des produits	<85db SOUND	Edd Reduction
Confort Visuel	Bonnes pratiques sur l'éclairage naturel et artificiel Pas d'exigence spécifique au niveau des produits		VISUAL
Déchets	Enviter l'envoi à la décharge Pas d'exigence spécifique au niveau des produits	RECYCLABLE	Ready
Economie locale	Composant issu d'une filière de valorisation matière des déchets		RECYCLED CONTENT

# greenstar

Green Star - Interiors v1.3			greenstar
CERTIFICATION CRITERIA	CERTIFICATION REQUIREMENTS	THE TARKETT RESPONSE	
Indoor Pollutants	TVOC at 28 days ≤ 1000 μg/m3 and Formaldehyde at 28 days ≤ 10 μg/m3	STDug/m <sup>3</sup> OPTIMAL INDOOR AIR QUALITY	<pre></pre>
Lighting and Visual Comfort	Best practices in daylighting and artificial lighting design No specific requirement at product level		VISUAL COMFORT
Life Cycle Assessment	EPDs available		<b>EPD</b> <sup>®</sup>
Construction and Demolition Waste	Avoid sending waste to landfill No specific requirement at product level	RECYCLABLE	Ready

The Green Building Card is used as a reference only for projects at design stage. This document by itself is not enough to validate the Green Building Certification requirements and manufacturer's documentation must be provided. In order to access the product certificates, please contact your TARKETT's sales representative.

